



**DuPont Professional
Products**

This supplemental label expires on March 14, 2014 and must not be used or distributed after this date.

DUPONT™ ALTRISSET® TERMITICIDE

EPA Reg. No. 352-829

**POST-CONSTRUCTION TREATMENTS:
DIRECTIONS FOR TURNING OFF AIR CIRCULATION SYSTEMS**

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**2.0 COMPLETE POST-CONSTRUCTION
TREATMENTS FOR SUBTERRANEAN
TERMITES**

For applications made after the final grade is installed for the purpose of protecting the structure from termite infestations and/or controlling existing termite populations the applicator must use the methods described below. Apply ALTRISSET™ termiticide using a concentration of 0.05% for post-construction use.

2.1. EXTERIOR TREATMENT

The exterior application with ALTRISSET™ termiticide must be applied in such a way as to provide a continuous treatment zone to prevent termites from infesting the structure. Read and follow application volume use directions on this label

**2.1.1 Crawl space, Plenum, Concrete Slab and Basement
Construction**

Establish a vertical treatment zone around the entire perimeter of the structure to be treated as described in Section 1.1. Use one or more of the techniques described as required to establish a continuous vertical treatment zone around the entire perimeter of the structure.

2.1.2 Exterior Obstructions

**2.1.2.1 Slabs on grade (such as walkways, patios,
driveways etc.)**

Drill vertically through slab to establish a vertical treatment zone around the entire perimeter of the structure to be treated beneath all adjacent slabs as described in Section 1.1.2.

2.1.2.2 Earth-Filled Slabs

Where earth-filled slabs abut the foundation wall, drill slabs vertically and treat soil beneath slab as described in Section 1.1.2.

Alternatively, the applicator may use the horizontal rod/treat technique when vertical drilling is not possible or desirable due to slab finish. Where earth-filled slabs are deep, it may be necessary to long rod several times at increasing depths.

**2.1.3 Treatment of structures with adjacent well, cisterns
or other water bodies**

Do not treat soil within 5 feet of a well or cistern. When treating soil between 5 and 10 feet of a well or cisterns, the treated backfill method must be used. Where a risk of contamination exists due to the proximity of a well, cistern or other water body use the excavation and treated backfill method of application as described in Section 1.1.3. Prior to treatment, if feasible, expose the water pipe(s) coming from the well to the structure, if the pipe(s) enter the structure within 3 feet of the grade.

2.1.4 Accessible Crawlspace

NOTE- Before Treatment: Turn off the air circulation system of the structure, and as added precaution, vacate people and pets from the crawlspace, until application has been completed and all ALTRISSET™ termiticide has been absorbed by the soil.

2.1.4.1 Pillars, pilasters, chimney bases, utilities etc.

Establish a vertical treatment zone of ALTRISSET™ termiticide around all pillars, utilities and chimney bases in accordance with Section 1.1.

2.1.4.2 Foundation walls

Establish a vertical treatment zone at the base of foundations walls. Treat in accordance with Section 1.1

2.1.5 Inaccessible Crawlspace

NOTE-Before treatment: turn off the air circulation system of the structure until application has been completed and all DuPont™ ALTRISSET™ termiticide has been absorbed into the soil. For inaccessible interior crawlspace areas, such as areas where there is insufficient clearance between floor joists and ground surfaces to allow operator access, excavate, if

© 2011 E. I. du Pont de Nemours and Company, Crop Protection, 1007 N. Market St., Wilmington, Delaware 19898

possible, and treat according to Section 2.1.4 for accessible crawl spaces. Otherwise, apply one, or a combination of the following two methods:

- a) To establish a horizontal treatment zone, apply to the surface 1 gallon of ALTRISSET™ termiticide per 10 square feet overall using a nozzle pressure of less than 25 p.s.i. and a coarse application nozzle. For an area that cannot be reached with the application wand, use one or more extensions to make the application to the soil. Do not broadcast at pressures greater than 25 psi.
- b) To establish a horizontal treatment zone, drill through the foundation wall or through the floor above and treat the soil at a rate of one gallon of ALTRISSET™ termiticide per 10 square feet. Drill spacing intervals must not exceed 16 inches apart. Some states have smaller intervals so check state regulations.

2.1.6 Garages

To treat soil under the slab, drill vertically through the slab along the interior perimeter of the garage foundation as described in Section 1.1.2. Treatment along concrete expansion joints, cracks, plumbing, and utility services penetrating the slab should be performed. It may be necessary to drill holes along one side of the slab adjacent to an interior partition wall if there is clear evidence of termite activity or damage to the wall.

2.2 INTERIOR CONCRETE FLOORS

Sub-slab injection treatments should be made from inside the structure or, in cases where this is not possible, by drilling through the foundation from the outside as directed in Section 1.1.2 above.

Prior to making any treatments, locate all heating/air conditioning ducts, vents, water/sewer lines and electrical lines/conduits.

2.2.1 Bath Traps/ Drain Pipes/ Utility Penetrations

To treat exposed soil or soil covered with tar or similar sealant around plumbing and/or drainpipe areas and/or utility penetrations, tar or sealant may have to be removed to allow for adequate soil treatments. An access door or inspection portal may be installed if one is not already present. After inspection and removal of all wood/cellulose debris, the soil is treated by rodding or trenching the soil with ALTRISSET™ termiticide. Treat with a minimum of 1 gallon to a maximum of 4 gallons of finished solution per square foot.

2.2.2 Shower Drains

Drill through slab adjacent to shower drain and apply ALTRISSET™ termiticide by sub slab injection to the soil below. Foam application may be used to ensure maximum dispersion. Multiple access points may be drilled adjacent to the drain.

Treat soil with a minimum of 1 gallon but no more than 4 gallons of finished solution per shower drain. Horizontal rodding may be used to access and treat the soil associated with the shower drain if a horizontal treatment is required.

2.2.3 Fixed Sub slab Delivery Systems for Sub-Slab Treatment

Sub slab insecticidal delivery systems such as permanently installed piping or flexible tubing may also be used to deliver product to critical inaccessible areas under the slab such as concrete expansion joints, cracks, plumbing utility services penetrating the slab, etc. Follow manufacturer's directions for use of the delivery system to ensure that the insecticide is distributed evenly throughout the treatment zone. For these systems, the finished solution of ALTRISSET™ termiticide must be applied at the rate of 1 gallon per 10 square feet.

2.3 PLENUM CONSTRUCTION

NOTE-Before treatment: turn off the air circulation system of the structure until application has been completed and all ALTRISSET™ termiticide has been absorbed into the soil. For interior treatment of plenum structures that use a sealed under-floor space to circulate heat and/or cooled air throughout the structure follow these instructions:

- 1) Remove the sealing fabric and anything on the sealing fabric to expose soil no more than 18 inches adjacent to all foundation structures, including foundation walls, interior piers, pipes, and other structures with soil contact. Follow the instructions listed in Section 1.1.
- 2) After the finished solution of ALTRISSET™ termiticide has been absorbed by the soil; replace the sealing fabric and anything to be placed on the sealing fabric to its original, pre-treatment position.

IMPORTANT

BEFORE USING ALTRISSET™ TERMITICIDE, READ AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA- REGISTERED LABEL.

This bulletin contains new or supplemental instructions for use of this product which do not appear on the EPA-registered package label. Follow the instructions carefully.

This label must be in the possession of the user at the time of pesticide application.

Read the Limitation of Warranty and Liability on the Section 3 Federal product label before buying or using this product. If terms are not acceptable, return the unopened package at once to Seller for full refund of purchase price paid. Otherwise, use by Buyer or any other User constitutes acceptance of the terms of the Limitation of Warranty and Liability on the Section 3 Federal product label.

¹Trademark of E.I. du Pont de Nemours and Company

(Reference: SL-1662 030811 03-16-11)

