

# Safety Data Sheet

## PT PHANTOM II PRESSURIZED INSECTICIDE

Revision date : 2013/06/19

Page: 1/9

Version: 3.0

(30596114/SDS\_CPA\_US/EN)

### 1. Product and Company Identification

Company

BASF CORPORATION  
100 Park Avenue  
Florham Park, NJ 07932, USA

24 Hour Emergency Response Information

CHEMTREC: 1-800-424-9300  
BASF HOTLINE: 1-800-832-HELP (4357)

Registrant:

Whitmire Micro-Gen Research Laboratories, Inc.  
3568 Tree Court Industrial Blvd.  
St. Louis, MO 63122

Substance number: 000000462410  
Molecular formula: C<sub>15</sub> H<sub>11</sub> Br Cl F<sub>3</sub> N<sub>2</sub> O  
Chemical family: pyrrole derivative  
Synonyms: chlorfenapyr

### 2. Hazards Identification

Emergency overview

CAUTION:  
KEEP OUT OF REACH OF CHILDREN.  
KEEP OUT OF REACH OF DOMESTIC ANIMALS.  
Avoid contact with the skin, eyes and clothing.  
Avoid inhalation of mists/vapours.  
Wash thoroughly after handling.

See Product Label for additional precautionary statements.

State of matter: liquid  
Colour: yellow to orange  
Odour: solvent-like

Potential health effects**Primary routes of exposure:**

Routes of entry for solids and liquids include eye and skin contact, ingestion and inhalation. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquified gases.

**Acute toxicity:**

Relatively nontoxic after single ingestion. Relatively nontoxic after short-term skin contact.

**Irritation / corrosion:**

May cause moderate irritation to the skin. May cause slight but temporary irritation to the eyes.

# Safety Data Sheet

## PT PHANTOM II PRESSURIZED INSECTICIDE

Revision date : 2013/06/19  
Version: 3.0

Page: 2/9  
(30596114/SDS\_CPA\_US/EN)

### Chronic toxicity:

**Repeated dose toxicity:** The product has not been tested. The statement has been derived from the properties of the individual components.

### Signs and symptoms of overexposure:

Danger of drowsiness and dizziness.

### Potential environmental effects

#### Aquatic toxicity:

Very toxic (acute effect) to aquatic organisms.

#### Terrestrial toxicity:

Acutely very toxic to terrestrial organisms.

---

### 3. Composition / Information on Ingredients

<u>CAS Number</u>	<u>Content (W/W)</u>	<u>Chemical name</u>
122453-73-0	0.5 %	Chlorfenapyr
115-10-6	<= 15.0 %	dimethyl ether
124-38-9	<= 2.0 %	carbon dioxide
67-64-1	<= 35.0 %	Acetone
	>= 47.0 %	Proprietary ingredients

---

### 4. First-Aid Measures

#### General advice:

First aid providers should wear personal protective equipment to prevent exposure. Remove contaminated clothing. Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or physician for treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment.

#### If inhaled:

Remove the affected individual into fresh air and keep the person calm.

#### If on skin:

Rinse skin immediately with plenty of water for 15 - 20 minutes.

#### If in eyes:

Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing.

#### If swallowed:

Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions. Do not induce vomiting. Have person sip a glass of water if able to swallow.

#### Note to physician

Antidote: No known specific antidote.  
Treatment: Treat symptomatically.

---

### 5. Fire-Fighting Measures

Flash point: < -28 °C (Directive 92/69/EEC, A.9)  
Autoignition: 530 °C (Regulation 440/2008/EC, A.15)

# Safety Data Sheet

## PT PHANTOM II PRESSURIZED INSECTICIDE

Revision date : 2013/06/19  
Version: 3.0

Page: 3/9  
(30596114/SDS\_CPA\_US/EN)

Lower explosion limit:		As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
Upper explosion limit:		As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
Ignition distance test for spray aerosols:	> 18 in	(ASTM D 3065)
NFPA 30B flammability:	Level 1 Aerosol	

**Suitable extinguishing media:**  
foam, dry powder, carbon dioxide, water spray

**Hazards during fire-fighting:**  
carbon monoxide, carbon dioxide, hydrogen bromide, Hydrogen chloride, hydrogen fluoride, nitrogen oxides  
The substances/groups of substances mentioned can be released in case of fire.

**Protective equipment for fire-fighting:**  
Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

**Further information:**  
Evacuate area of all unnecessary personnel. Contain contaminated water/firefighting water. Do not allow to enter drains or waterways.

---

## 6. Accidental release measures

**Personal precautions:**  
Take appropriate protective measures. Clear area. Shut off source of leak only under safe conditions. Extinguish sources of ignition nearby and downwind. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.

**Environmental precautions:**  
Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

**Cleanup:**  
Dike spillage. Pick up with suitable absorbent material. Place into suitable containers for reuse or disposal in a licensed facility. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

---

## 7. Handling and Storage

### Handling

**General advice:**  
RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product for Agricultural Use Requirements in accordance with the EPA Worker Protection Standard 40 CFR part 170. Ensure adequate ventilation. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect contents from the effects of light. Protect against heat. Protect from air. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Provide means for controlling leaks and spills. Do not return residues to the storage containers. Follow label warnings even after container is emptied. The substance/ product may be handled only by appropriately trained

# Safety Data Sheet

## PT PHANTOM II PRESSURIZED INSECTICIDE

Revision date : 2013/06/19  
Version: 3.0

Page: 4/9  
(30596114/SDS\_CPA\_US/EN)

personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

### **Protection against fire and explosion:**

The relevant fire protection measures should be noted. Fire extinguishers should be kept handy. Avoid all sources of ignition: heat, sparks, open flame. Sources of ignition should be kept well clear. Avoid extreme heat. Keep away from oxidizable substances. Electrical equipment should conform to national electric code. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharge may cause ignition.

### **Storage**

#### **General advice:**

Keep away from heat. Protect from direct sunlight. Keep at temperature not exceeding 50°C. Keep out of the reach of children. Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame.

#### **Storage incompatibility:**

General advice: Segregate from foods and animal feeds.

---

## 8. Exposure Controls and Personal Protection

**Users of a pesticidal product should refer to the product label for personal protective equipment requirements.**

### **Components with occupational exposure limits**

Acetone	OSHA PEL	PEL 1,000 ppm	2,400 mg/m <sup>3</sup> ;
	ACGIH TLV	TWA value 500 ppm ;	STEL value 750 ppm ;
carbon dioxide	OSHA PEL	PEL 5,000 ppm	9,000 mg/m <sup>3</sup> ;
	ACGIH TLV	TWA value 5,000 ppm ;	STEL value 30,000 ppm ;

### **Advice on system design:**

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

### **Personal protective equipment**

#### **RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:**

#### **Respiratory protection:**

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

#### **Hand protection:**

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

#### **Eye protection:**

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

#### **Body protection:**

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

#### **General safety and hygiene measures:**

Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Personal protective equipment should be decontaminated prior to reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Take off

# Safety Data Sheet

## PT PHANTOM II PRESSURIZED INSECTICIDE

Revision date : 2013/06/19

Page: 5/9

Version: 3.0

(30596114/SDS\_CPA\_US/EN)

immediately all contaminated clothing. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift. No eating, drinking, smoking or tobacco use at the place of work. Keep away from food, drink and animal feeding stuffs.

### 9. Physical and Chemical Properties

Form:	liquid, aerosol	
Odour:	solvent-like	
Colour:	yellow to orange	
pH value:	approx. 6 - 8	(approx. 20 °C)
Melting point:		The product has not been tested.
Boiling point:	approx. 56 °C	Information applies to the solvent.
Vapour pressure:	approx. 7 bar	( 20 °C)
Density:	approx. 0.94 g/cm <sup>3</sup>	(approx. 20 °C)
Vapour density:		not determined
Partitioning coefficient n-octanol/water (log Pow):		not applicable
Viscosity, dynamic:		not determined
Solubility in water:		miscible

### 10. Stability and Reactivity

#### Conditions to avoid:

Avoid all sources of ignition: heat, sparks, open flame.

#### Substances to avoid:

strong bases, strong acids, strong oxidizing agents

#### Hazardous reactions:

No hazardous reactions if stored and handled as prescribed/indicated.

#### Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

#### Thermal decomposition:

not determined

#### Corrosion to metals:

Corrosive effects to metal are not anticipated.

#### Oxidizing properties:

Not an oxidizer.

### 11. Toxicological information

#### Acute toxicity

##### Oral:

Type of value: LD50

Species: rat (female)

Value: > 5,000 mg/kg (OECD Guideline 425)

##### Inhalation:

Type of value: LC50

Species: rat (male/female)

Value: > 2.11 mg/l (OECD Guideline 403)

Exposure time: 4 h

An aerosol was tested.

# Safety Data Sheet

## PT PHANTOM II PRESSURIZED INSECTICIDE

Revision date : 2013/06/19  
Version: 3.0

Page: 6/9  
(30596114/SDS\_CPA\_US/EN)

No mortality was observed.

### Dermal:

Type of value: LD50  
Species: rat (male/female)  
Value: > 5,000 mg/kg (OECD Guideline 402)

### Irritation / corrosion

#### Skin:

Species: rabbit  
Result: Slightly irritating.

#### Eye:

Species: rabbit  
Result: non-irritant  
Method: OECD Guideline 405

### Sensitization:

Buehler test  
Species: guinea pig  
Result: Skin sensitizing effects were not observed in animal studies.

*Information on: Chlorfenapyr*  
*Guinea pig maximization test*  
*Species: guinea pig*  
*Result: Non-sensitizing.*  
*Method: OECD Guideline 406*

-----

### Repeated dose toxicity

*Information on: Acetone*  
*Assessment of repeated dose toxicity:*  
*The substance may cause damage to the testes after repeated ingestion of high doses, as shown in animal studies. The substance may cause damage to the hematological system after repeated ingestion of high doses. The substance may cause damage to the kidney after repeated ingestion of high doses, as shown in animal studies.*

-----

### Genetic toxicity

*Information on: Chlorfenapyr*  
*No mutagenic effect was found in various tests with microorganisms and mammalian cell culture. The substance was not mutagenic in a test with mammals.*

-----

### Carcinogenicity

*Information on: Chlorfenapyr*  
*In long-term studies in rats and mice in which the substance was given by feed, a carcinogenic effect was not observed.*

-----

### Reproductive toxicity

*Information on: Chlorfenapyr*  
*The results of animal studies gave no indication of a fertility impairing effect.*

-----

*Information on: Acetone*  
*As shown in animal studies, the product may cause damage to the testes after repeated high exposures that cause other toxic effects.*

-----

# Safety Data Sheet

## PT PHANTOM II PRESSURIZED INSECTICIDE

Revision date : 2013/06/19  
Version: 3.0

Page: 7/9  
(30596114/SDS\_CPA\_US/EN)

---

### 12. Ecological Information

#### Fish

*Information on: chlorfenapyr*

*Acute:*

*Directive 84/449/EEC, C.1 Flow through.*

*Oncorhynchus mykiss/LC50 (96 h): 0.00744 mg/l*  
-----

#### Aquatic invertebrates

*Information on: chlorfenapyr*

*Acute:*

*Directive 84/449/EEC, C.2 Mysid shrimp/EC50 (96 h): 0.00203 mg/l*  
-----

#### Aquatic plants

*Information on: chlorfenapyr*

*Toxicity to aquatic plants:*

*OECD Guideline 201 green algae/EC50 (72 h): 0.132 mg/l*  
-----

#### Environmental mobility:

*Information on: chlorfenapyr*

*Assessment transport between environmental compartments:*

*Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.*  
-----

---

### 13. Disposal considerations

#### Waste disposal of substance:

Pesticide wastes are regulated. Improper disposal of excess pesticide, spray mix or rinsate is a violation of federal law. If pesticide wastes cannot be disposed of according to label instructions, contact the State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

#### Container disposal:

Do not cut, puncture, crush, or incinerate empty aerosol containers. Empty aerosol cans may meet the definition of RCRA D003.

---

### 14. Transport Information

#### Land transport

USDOT

Hazard class:

2.1

ID number:

UN 1950

Hazard label:

2.1, EHSM

Proper shipping name:

AEROSOLS (contains ACETONE/DIMETHYLKETONE,  
CHLORFENAPYR)

# Safety Data Sheet

## PT PHANTOM II PRESSURIZED INSECTICIDE

Revision date : 2013/06/19  
Version: 3.0

Page: 8/9  
(30596114/SDS\_CPA\_US/EN)

### Sea transport

IMDG

Hazard class: 2.1  
ID number: UN 1950  
Hazard label: 2.1, EHSM  
Marine pollutant: YES  
Proper shipping name: AEROSOLS (contains ACETONE/DIMETHYLKETONE, CHLORFENAPYR)

### Air transport

IATA/ICAO

Hazard class: 2.1  
ID number: UN 1950  
Hazard label: 2.1  
Proper shipping name: AEROSOLS, FLAMMABLE (contains ACETONE/DIMETHYLKETONE, CHLORFENAPYR)

### Further information

DOT: This product may be classified as ORM-D (Consumer Commodity) or Limited Quantity. After 12/31/2020, ORM-D will not apply.

---

## 15. Regulatory Information

### Federal Regulations

#### Registration status:

Crop Protection TSCA, US released / exempt  
499-548

Chemical TSCA, US blocked / not listed

OSHA hazard category: Chronic target organ effects reported; ACGIH TLV established

EPCRA 311/312 (Hazard categories): Acute; Chronic

#### CERCLA RQ

5000 LBS  
100 LBS

#### CAS Number

67-64-1  
115-10-6

#### Chemical name

Acetone  
dimethyl ether

### State regulations

#### State RTK

MA, NJ, PA  
MA, NJ, PA

#### CAS Number

115-10-6  
124-38-9

#### Chemical name

dimethyl ether  
carbon dioxide

---

## 16. Other Information

Refer to product label for EPA registration number.

Recommended use: insecticide



# Safety Data Sheet

## PT PHANTOM II PRESSURIZED INSECTICIDE

Revision date : 2013/06/19

Page: 9/9

Version: 3.0

(30596114/SDS\_CPA\_US/EN)

---

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

---

**SDS Prepared by:**

BASF NA Product Regulations

msds@basf.com

SDS Prepared on: 2013/06/19

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE , IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.  
END OF DATA SHEET