

UV Safety Data Sheet

1. PRODUCT AND COMPANY IDENTIFICATION

Product name:	Genus [®] Eclipse Insect Light Trap
Product code:	E-3-4XXX and variants
Product use:	Elimination of flying insects
Document No.:	03 – 080419
Preceding doc. Ref:	N/A
Date:	08/04/2019

In Europe: Company: Brandenburg UK Ltd 29 Navigation Drive, Hurst Business Park

Brierley Hill West Midlands DY5 1UT

Emergency Telephone Number: +44 (0) 1384 472900 Technical Assistance Telephone Number: +44 (0) 1384 472900

In the USA Company: Brandenburg NA 3780 Rider Trail South, Earth City, MO 63045 USA

Emergency Telephone Number: +1 314 567 4101

2. UVA SOURCE

The UVA Source is a compact 36W BL- biaxial fluorescent lamp.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW: No special dangers are known.

POTENTIAL HEALTH HAZARDS: SKIN: Not anticipated under recommended exposure conditions.

EYES: Not anticipated under recommended exposure conditions.

DELAYED EFFECTS: Over-exposure to the UV radiation in the range 315-400nm from the unit can lead to erythema and elastosis of the skin and eye damage including cornea damage, cataracts and conjunctivitis.



UV Safety Data Sheet

In the Risk Classification system of IEC / EN 62471 and ANSI IESNA RP 27 (see Section 15 below), measurements of the emitted radiation over the wavelength range 200 to 600nm resulted in the unit being assigned to Risk Group 1 (Low Risk).

4. FIRST-AID MEASURES: N/A

5. FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA: carbon dioxide, dry chemical

UNUSUAL FIRE AND EXPLOSIVE HAZARDS: None

SPECIAL FIRE FIGHTING PRECAUTIONS/INSTRUCTIONS: none

6. ACCIDENTAL RELEASE MEASURES : N/A

7. HANDLING AND STORAGE

NORMAL HANDLING: No special requirement

STORAGE RECOMMENDATIONS: No special requirement

8. EXPOSURE CONTROL / PERSONAL PROTECTION

PERSONAL PROTECTIVE EQUIPMENT: Not required.

EXPOSURE GUIDELINES/LIMITS: Measurements according to IEC / EN 62471 and ANSI IESNA RP 27 (see Section 15 below) have shown that the 'Hazard Distance', i.e. that distance from the system at which a person can safely spend an entire working day of 8 hours, is **216mm (8.5 inches)**. Consequently the system must be positioned such that no work station is closer than 216mm (8.5 inches) to the unit.

Protection against effects of exposure to UVA is not required provided that all personnel are excluded from locations closer than the 'Hazard Distance' quoted above.

9. PHYSICAL AND CHEMICAL PROPERTIES: N/A

10. STABILITY AND REACTIVITY: N/A

11. TOXICOLOGICAL INFORMATION: N/A

12. ECOLOGICAL INFORMATION: N/A

13. DISPOSAL CONSIDERATIONS

Dispose of packaging as solid waste according to local regulations.

Parent Document: Section 6.0



UV Safety Data Sheet

Dispose of lamps in accordance with local legislation.

Dispose of the unit with lamps removed in accordance with local legislation.

14. TRANSPORT INFORMATION: No special requirement

15. REGULATORY INFORMATION

Insect Light Traps must comply with the specific standard IEC 60335-2-59 – "Household and similar electrical appliances –Safety – Part 2-59: Particular requirements for insect killers." This specifies that at 1m distance, the *Effective Near UV Irradiance** shall not exceed 1mW/sq m. In addition, units put on the market in the EU must comply with the requirements of the EU Directive 2006/25/EC "*The Artificial Optical Radiation Directive*". Also relevant are IEC/EN 62471 "Photobiological Safety of Lamps and Lamp Systems" and ANSI IESNA RP 27 "Recommended Practice for Photobiological Safety for Lamps – Risk Group Classification".

*The *Effective Near UV Irradiance* is the UVA irradiance weighted at each wavelength according to the adverse effects on human tissue at that wavelength.

The Brandenburg Genus[®] Spectra Compact Insect Light Trap meets the US Standard for Safety of Portable Electric Luminaires, UL153 and the Canadian Standard CSA C22.2 No. 12 "Portable Luminaires". These standards relate to mechanical and electrical safety.

16. OTHER INFORMATION

The information and recommendations set forth above are taken from sources believed to be accurate as of the date hereof, however, Brandenburg UK Ltd makes no warranty with respect to the accuracy of the information or the suitability of the recommendations, and assumes no liability to any user thereof. The information contained in this sheet does not constitute a hazard assessment and should not be used in place of the user's own assessment of workplace risks as required by other health and safety legislation.