

When it comes to keeping railways, roadways and utility grounds manageable and weed-free, Torpedo® EZ herbicide works. This product delivers long-lasting, broad-spectrum control and even halts herbicide-resistant weeds.

# **Key Uses**

 Non-crop areas where bare ground is desired for industrial vegetation management (IVM)

# Weeds controlled

- · Canada fleabane
- · Common ragweed
- Common waterhemp
- Dandelion
- Eastern black nightshade
- Green foxtail
- · Green pigweed
- · Hairy nightshade

- Kochia (including) Group 2-, 4-, and 9-resistant biotypes)
- Lamb's-quarters
- Large crabgrass
- Palmer amaranth
- Pennsylvania smartweed
- Redroot pigweed

- Velvetleaf
- Wild buckwheat
- · Wild mustard (including **Group 2-resistant** biotypes)
- Witchgrass

# **Benefits**

- Provides residual control of susceptible weeds
- Easy-to-use liquid formulation with low use rates
- Two active ingredients (Group 14 and 15) for management of Group 2-, 4-, 5-, and glyphosate-resistant weeds that are on the label
- · Tank-mix flexibility with post-emergent herbicides
- · Low risk of off-site movement

# **Tank-mix partners**

- Glyphosate
- 2,4-D ester
- Arsenal<sup>®</sup> • Banvel®
- Garlon™
- Hyvar® XL
- Karmex<sup>®</sup>
- Krovar<sup>®</sup>

- Telar®
- Tordon™
- · Vanquish®

#### **ACTIVE INGREDIENT**

- > Group 14 (flumioxazin)
- Group 15 (pyroxasulfone)

#### **RATES**

- $> 880 1,215 \, \text{mL/ha}$  $(356 - 491 \, \text{mL/ac})$
- One case treats 12 16 ha (30 - 40 ac)
- > Use higher rates on finemedium textured soils for longer residual control

### TANK-MIX ORDER

- > Torpedo EZ
- > If tank-mixing with other labelled herbicides follow WAMLEGS
- > Non-ionic adjuvant @ 0.25% v/v (post-emergence applications only)
- > If mixing with another herbicide consult label for mixing instructions. Always use in accordance with the most restrictive label and use precautions.

#### APPLICATION TIMING

- Pre-emergence apply prior to weed emergence
- > Post-emergence when weeds are already emerged, apply Torpedo EZ with a non-ionic adjuvant (0.25% v/v) or in a tank-mix

## **RAINFAST**

> 1hour

## **NOTES**

- > Moisture is necessary to activate Torpedo EZ on soil for residual weed control
- > The length of residual control is dependent on the rate applied, amounts of rainfall and temperature conditions
- > To ensure uniform coverage, use 200 – 600 L/ha spray solution (80 - 243 L/ac)
- > Do not graze livestock on treated areas







