

MATERIAL SAFETY DATA SHEET
DIACON II®

Manufacturer: Wellmark International
Address: 1501 East Woodfield Road, Suite 200-West Schaumburg, IL 60173
Emergency Phone: 1(800)-248-7763
Transportation Emergency Phone: CHEMTREC: 1-800-424-9300

1. CHEMICAL PRODUCT INFORMATION

Product Name: Diacon II®
Chemical Name/Synonym: (S)-Methoprene: Isopropyl (2E,4E,7S)-11-methoxy-3,7,11-trimethyl-2,4-dodecadienoate
Chemical Family: Terpenoid
Formula: C₁₉ H₃₄ O₃
EPA Registration No.: 2724-427
RF Number: 9811

2. COMPOSITION / INFORMATION ON INGREDIENTS

<u>Component (chemical, common name)</u>	<u>CAS Number</u>	<u>Weight</u>	<u>Tolerance</u>
(S)- Methoprene: Isopropyl (2E,4E,7S)-11-Methoxy-3,7,11-trimethyl-2,4-dodecadienoate	65733-16-6	33.6%	Not established
Other ingredients: (nonhazardous and/or trade secret):		66.4%	Not established
Hydrotreated light petroleum distillate	64742-47-8		Not established

3. HAZARD INFORMATION

PRECAUTIONARY STATEMENT

Caution: Keep out of the reach of children. Causes moderate eye irritation. Harmful if absorbed through skin. Avoid contact with eyes, skin, or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

SIGNS AND SYMPTOMS OF OVEREXPOSURE

No adverse reactions have resulted from normal human exposure during research and testing.

PRIMARY ROUTE OF ENTRY **Dermal/Eye:** Yes. **Oral:** No. **Inhalation:** Yes.

ACUTE TOXICITY **Oral:** LD50 (rat) : >5100 mg/kg bw.
 Dermal: LD50 (rabbit) : >2,100 mg/kg bw.
 Inhalation: LC50 (rat)> 5.19 mg/L air (S) Methoprene.

OTHER TOXICOLOGICAL INFORMATION

- Skin Irritation:** Moderately irritating.
Eye Irritation: Mildly irritating.
Sensitizer: Not a dermal sensitizer.

4. FIRST AID MEASURES

- Eye:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, and then continue rinsing eyes. Call a poison control center or doctor for treatment advice.
- Skin:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
- Ingestion:** Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.
- Inhalation:** Move to well ventilated area. Clear airway and support respiration if necessary. Seek medical attention.
- Note to Physician:** Contains petroleum distillate – vomiting may cause aspiration pneumonia.

5. FIRE FIGHTING MEASURES

- NFPA Rating:** **Health: 0** **Fire: 2** **Reactivity: 0**
- Flammability Class:** Combustible liquid.
- Flash Point:** 191°F, 88.3°C.
- Explosive Limits (% of Volume):** Upper: Unknown; Lower: Unknown.
- Extinguishing Media:** Foam, CO₂, dry chemical, water, fog.
- Special Protective Equipment:** Wear protective clothing, eye protection, and self-contained breathing apparatus.
- Fire Fighting Procedures:** Normal procedures. Do not allow product to enter drainage system or waterways.
- Combustion Products:** Carbon monoxide and carbon dioxide.
- Unusual Fire/Explosion Hazards:** Explosive hazards are moderate when vapors are exposed to heat or flame.

6. ACCIDENTAL RELEASE MEASURES

- Steps to be taken:** Cover with inert absorbent. Avoid contact with heat or open flame. Avoid breathing vapors. Provide ventilation and avoid skin contact. Place all material in metal drum that can be effectively sealed. Do not contaminate surface or domestic water supply.
- Absorbents:** Clay granules, sawdust, dirt or equivalent.
- Incompatibles:** Oxidizers.

7. HANDLING AND STORAGE

Handling: Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of the gloves before removing. Then wash thoroughly and change into clean clothing.

Storage: Do not contaminate water, food, or feed by storage. Store in a cool dry place.

8. EXPOSURE CONTROL / PERSONAL MEASURES

Exposure Limits: Not Applicable.

Ventilation: Use with adequate ventilation.

Personal Protective Equipment: Under normal use, special protective equipment is not needed. If extended exposure is anticipated, it is recommended to wear a MSHA/NIOSH approved respirator with organic vapor cartridge, impervious gloves and chemical goggles or safety glasses with side shields.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance and Odor: Amber liquid, aromatic solvent odor.

Boiling Point: Greater than 218°C.

Melting Point: Not applicable.

Vapor Pressure (mm Hg): < 0.1 mm Hg.

Vapor Density (Air = 1): < 5.9.

Specific Gravity: 0.858.

Bulk Density: 7.1 lbs/gal.

Solubility: Forms emulsion in water.

Evaporation Rate: < 0.01 (n-Butyl acetate = 1.0).

pH: 6.69.

10. STABILITY AND REACTIVITY

Stability: Stable.

Reactivity: Non-reactive.

Incompatibility w/ Other Materials: Oxidizers.

Decomposition Products: Carbon monoxide, carbon dioxide.

Hazardous Polymerization: Will not occur.

11. TOXICOLOGICAL INFORMATION

CHRONIC TOXICITY [Based on (RS) Methoprene]

Methoprene is not considered as an oncogenic compound. The NOEL for non-carcinogen effects in an 18-month mouse study was 250ppm.

DEVELOPMENTAL/REPRODUCTIVE TOXICITY [Based on (RS) Methoprene]

Methoprene is not a teratogenic compound. The NOEL for maternal and embryo toxicity in rabbits was 200/mg/kg/day. The NOEL for reproductive effects in rats was 500 ppm.

MUTAGENICITY [Based on (RS) Methoprene]

Methoprene is not a mutagenic compound.

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL FATE [Based on (RS) Methoprene]

Hydrolysis: T_{1/2} > 4 weeks.

Photolysis: T_{1/2} < 10 hours.

Soil half life: ~ 10 days.

Water solubility: < 2 ppm.

ECOTOXICITY [Based on (S) Methoprene]

Acute Toxicity: fish:LC₅₀ (trout): 760 ppb, (bluegill): > 370 ppb ;
aquatic invertebrates:LC₅₀ (Daphnia): 360 ppb.

13. DISPOSAL CONSIDERATIONS

Wastes resulting from use of this product should be disposed of in accordance with all federal, state and local requirements. For additional regulatory information, see section 15 of this document.

14. TRANSPORT INFORMATION

DOT49CFR Description: Not Applicable.

Freight Classification: Insecticides N.O.I O/T Poison NMCF 1-102120 CL 60.

15. REGULATORY INFORMATION

CERCLA (Superfund): Ninate 401-A (dodecylbenzene sulfonic acid, calcium salt) – RQ = 10 lbs.
Cas#26264-06-2.

RCRA: Not Regulated.

SARA 311/312 HAZARD CATEGORIES

Immediate Health: Yes (irritation).

Delayed Health: No.

Fire: Yes (combustible liquid).

Sudden Pressure: No.

Reactivity: No.

The information presented herein, while not guaranteed, was prepared by technically knowledgeable personnel and to the best of our knowledge is true and accurate. It is not intended to be all inclusive and the manner and conditions of use and handling may involve other or additional considerations.