

**PRECAUCION**

**Al Usuario:** Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada amplamente.

**CAUTION**

**To the User:** If you cannot read English, do not use this product until the label has been fully explained to you.

**PRECAUTIONARY STATEMENTS  
HAZARD TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION**

**HAZARD TO HUMANS:** Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Avoid contamination of food and feedstuffs. This product may cause skin sensitization reactions in certain individuals.

**PERSONAL PROTECTIVE EQUIPMENT**

Mixers and Handlers must wear: long-sleeved shirts and pants; shoes and socks; chemical resistant gloves.

**USER SAFETY REQUIREMENTS**

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

**USER SAFETY RECOMMENDATIONS**

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

**FIRST AID**

**IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**HOT LINE NUMBER**

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-858-7378 for emergency medical treatment information.

**NOTE TO PHYSICIAN/VETERINARIAN:** Rabon is an organophosphate insecticide. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 2-PAM is also antidotal and may be administered, but only in conjunction with atropine.

**SYMPTOMS OF EXPOSURE:** May produce acute cholinesterase depression. Acute cholinesterase depression may be evidenced by headache, nausea, vomiting, diarrhea, abdominal cramps, excessive sweating, salivation and tearing, constricted pupils, blurred vision, tightness in chest, weakness, muscle twitching, and confusion; in extreme cases, unconsciousness, convulsions, and severe respiratory depression may occur.

**ENVIRONMENTAL HAZARDS**

This pesticide is toxic to fish. Drift and runoff may be hazardous to aquatic organisms in adjacent areas. Do not apply directly to water. Do not contaminate water when disposing of equipment washwater. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.

**Pesticide Storage:** Store in a dry place in original container.

**Container Disposal:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

**Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on-site or at an approved waste disposal facility.



**3% RABON®  
LIVESTOCK DUST**

**Contains 3% Rabon®\* Insecticide  
FOR USE ON LIVESTOCK  
NO MILK OR TISSUE WITHDRAWAL  
A READY-TO-USE INSECTICIDE DUST**

**Controls Horn Flies, Cattle Grubs and Lice, and aids  
in the control of Face Flies on Beef and Dairy Cattle.  
Controls Lice on Swine.**

**ACTIVE INGREDIENT:**

**Tetrachlorvinphos: (CAS #961-11-5) . . . . . 3.00%**

**OTHER INGREDIENTS . . . . . 97.00%**  
**100.00%**

**KEEP OUT OF REACH OF CHILDREN  
CAUTION  
See Additional Precautionary Statements  
on Side Panel**

**NET WT 12.5 LBS (5.67 kg)**

**EPA Reg. No. 67517-40-12281**

**EPA Est. No. 67517-MO-1**

**In case of emergency call National Pesticide Telecommunications Network  
1-800-813-7378**

**\*Rabon Insecticide  
Rabon is a registered trademark of Boehringer Ingelheim**

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ ENTIRE LABEL BEFORE EACH USE.**

**APPLICATION RESTRICTION:** Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

**FOR USE ON LIVESTOCK**

ANIMAL	INSECT	REMARKS
Beef Cattle & Dairy Cattle	Horn Flies Face Flies & Lice	HAND DUSTING – Apply approximately 2 oz. of dust by shaking can, rotary duster or by spoon to the upper portions of the back as an aid for the control of face flies. Rub in lightly to carry the dust beneath the hair. Do not treat more often than once every two weeks.  <b>SELF-TREATING DUST BAG</b> FORCED USE – Put Rabon Dust in cotton cloth or double burlap bags or use weather-proof cattle dust bags and hang in door exits or alleyways leading from animal buildings, salt or mineral blocks, or watering holes. Protect cloth or burlap bags from weather.  FREE-CHOICE USE – Use the same dust bags as above but place in loafing sheds, holding pens, feedlots, near watering holes or other areas where cattle gather. The free choice aids in the control of lice.
	Cattle Grubs	After the grubs have encysted (formed warbles) apply 3-4 oz. down the backline and rub in thoroughly, taking care to get the dust into the warble if possible.
Swine	Lice	HAND DUSTING – Apply 3-4 oz. of dust by conventional hand or power duster to each animal with special attention given to the neck and around the ears. Do not repeat more often than once every 14 days. In severe infestations, both individual animals and bedding may be treated. One lb. of Rabon Dust should be applied per 50 sq. ft. of bedding.

**NOTICE OF WARRANTY**

DURVET INC. MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR OTHERWISE, EXPRESSED OR IMPLIED CONCERNING THIS PRODUCT OR ITS USES WHICH EXTEND BEYOND THE USE OF THE PRODUCT UNDER NORMAL CONDITIONS IN ACCORD WITH THE STATEMENT MADE ON THIS LABEL.

*Manufactured for:*  
**DURVET INC.**  
**Blue Springs, MO 64014**

0307C

