



BAYER SOLUTIONS

Blacklegged Ticks

The Problem:

Blacklegged ticks (BLT) can carry bacteria that cause Lyme disease, and are a major public health concern. Lyme disease is on the rise in Canada, as these ticks continue to spread into new areas.

Ticks are closely related to spiders. They are typically small when unfed, (1 to 5 mm in length), and all active stages feed on blood. They cannot fly and they move quite slowly. Ticks usually come in contact with people or animals by positioning themselves on tall grass and bushes. They may take several hours to find a suitable place on the host to attach to feed. Most tick bites are painless. The majority of bites will not result in disease because most ticks are not infected with the agent of Lyme disease.

Blacklegged ticks pass through three different life stages (larva-1, nymph-2, adult male-3, adult female-4). The nymphal stage typically occurs during the summer months and is the stage most likely to infect people with Lyme disease. This is due to their small size which prevents people from noticing them on their body.



Bayer Solutions:

Turf areas that are of particular importance to observe for ticks include those adjacent to forested areas, stonewalls, ornamental plantings and other areas where there is overgrown vegetation.

Reduce tick habitat through landscape management practices including but not limited to mowing the turf and removal of weeds, leaf litter and other debris where ticks are found.

DeltaGard SC is now labeled for Control of Ticks:

DeltaGard SC, containing the active ingredient deltamethrin, is a broad spectrum pyrethroid insecticide registered for control of ticks, ants, chinch bugs, cutworm and sod webworm on turfgrass.

Use DeltaGard SC in conjunction with a comprehensive management program that includes modifying the landscape habitat around the home to help minimize harbourage areas for ticks.

Treat with Deltagard SC in a three meter band to turf areas around property lines or around structures such as dog houses, kennels, sidewalks, pathways or patios to help protect against ticks around the home.

Application Rate: 12 ml/100m² Water Volume: 8L/100m²

www.bayeres.ca
1-888-283-6847
@BayerGolfCA

ALWAYS READ PRODUCT LABEL PRIOR TO USE.
For more information on DeltaGard SC, contact Bayer.
DeltaGard SC and Bayer are trademarks of Bayer.

Ontario/Western Canada: Darcy Olds – 905.319.8981
Ontario/Atlantic Canada: Tim Steen – 226.820.5412
Quebec: Normand Drapeau – 514.949.2467
Green Solutions Specialist: Dr. Paul Giordano – 519.767.3876



Science For A Better Life

*Description of ticks is taken from the Ontario Ministry of Health and LongTerm Care fact sheet <http://www.health.gov.on.ca/en/public/publications/disease/lyme.aspx>