

GARLON™ XRT Herbicide

Version SDS Number: Date of last issue: 04/04/2022 Revision Date: 04/06/2022 800080005017 Date of first issue: 04/04/2022 2.0

Corteva Agriscience™ encourages you and expects you to read and understand the entire SDS as there is important information throughout the document. This SDS provides users with information relating to the protection of human health and safety at the workplace, protection of the environment and supports emergency response. Product users and applicators should primarily refer to the product label attached to or accompanying the product container. This Safety Data Sheet adheres to the standards and regulatory requirements of Canada and may not meet the regulatory requirements in other countries.

SECTION 1. IDENTIFICATION

GARLON™ XRT Herbicide Product name

Other means of identification No data available

Manufacturer or supplier's details

COMPANY IDENTIFICATION

CORTEVA AGRISCIENCE CANADA COMPANY Manufacturer/importer

#2450, 215 - 2ND STREET S.W.

CALGARY AB, T2P 1M4

CANADA

Customer Information

Number

800-667-3852

E-mail address : solutions@corteva.com

Emergency telephone

number

CANUTEC

1-888-226-8832

Recommended use of the chemical and restrictions on use

Recommended use End use herbicide product

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Eye irritation Category 2A

Skin sensitisation Sub-category 1B

Specific target organ toxicity

- repeated exposure

Category 2 (Kidney)

GHS label elements

Hazard pictograms





Signal word Warning

Hazard statements H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H373 May cause damage to organs (Kidney) through prolonged

or repeated exposure.



GARLON™ XRT Herbicide

Version Revision Date: SDS Number: Date of last issue: 04/04/2022 2.0 04/06/2022 800080005017 Date of first issue: 04/04/2022

Precautionary statements

Prevention:

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of

the workplace.

P280 Wear protective gloves/ eye protection/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P314 Get medical advice/ attention if you feel unwell.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P337 + P313 If eye irritation persists: Get medical advice/ atten-

tion.

P362 + P364 Take off contaminated clothing and wash it before reuse.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name		CAS-No.	Concentration (% w/w)
	Name/Synonym		
Triclopyr-2-butoxyethyl		64700-56-7	20.04
ester	butoxyethyl		83.94
	ester		
Balance	Balance	Not Assigned	16.06

^{*} Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

If inhaled : Move person to fresh air. If person is not breathing, call an

emergency responder or ambulance, then give artificial respiration; if by mouth to mouth use rescuer protection (pocket mask etc). Call a poison control center or doctor for treatment

advice.

In case of skin contact : Take off contaminated clothing. Wash skin with soap and

plenty of water for 15-20 minutes. Call a poison control center

or doctor for treatment advice.

Wash clothing before reuse. Shoes and other leather items which cannot be decontaminated should be disposed of

properly.

Suitable emergency safety shower facility should be available

in work area.



GARLON™ XRT Herbicide

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04/04/2022

 2.0
 04/06/2022
 800080005017
 Date of first issue: 04/04/2022

In case of eye contact : Hold eyes open and rinse slowly and gently with water for 15-

20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control

center or doctor for treatment advice.

Suitable emergency eye wash facility should be available in

work area.

If swallowed : Call a poison control center or doctor immediately for treat-

ment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison

control center or doctor.

Never give anything by mouth to an unconscious person. None known.

Most important symptoms and effects, both acute and

delayed

Protection of first-aiders : First Aid responders should pay attention to self-protection

and use the recommended protective clothing (chemical re-

sistant gloves, splash protection).

If potential for exposure exists refer to Section 8 for specific

personal protective equipment.

Notes to physician : No specific antidote.

Treatment of exposure should be directed at the control of

symptoms and the clinical condition of the patient.

Have the Safety Data Sheet, and if available, the product container or label with you when calling a poison control center or

doctor, or going for treatment.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray

Alcohol-resistant foam

Unsuitable extinguishing

media

None known.

Specific hazards during fire-

fighting

Exposure to combustion products may be a hazard to health. Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod-

ucts

During a fire, smoke may contain the original material in addi-

tion to combustion products of varying composition which may

be toxic and/or irritating.

Combustion products may include and are not limited to:

Nitrogen oxides (NOx) Hydrogen chloride gas

Carbon oxides

Specific extinguishing meth-

ods

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.



GARLON™ XRT Herbicide

Version Revision Date: SDS Number: Date of last issue: 04/04/2022 2.0 04/06/2022 800080005017 Date of first issue: 04/04/2022

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- :

tive equipment and emer-

gency procedures

Environmental precautions

Use personal protective equipment.

Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Prevent from entering into soil, ditches, sewers, undwater.

See Section 12, Ecological Information.

Methods and materials for containment and cleaning up

Clean up remaining materials from spill with suitable absorbant

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can

be pumped,

Recovered material should be stored in a vented container. The vent must prevent the ingress of water as further reaction with spilled materials can take place which could lead to over-

pressurization of the container.

Keep in suitable, closed containers for disposal. Wipe up with absorbent material (e.g. cloth, fleece).

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

See Section 13, Disposal Considerations, for additional infor-

mation.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling

Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Do not breathe vapours/dust.

Do not smoke.

Handle in accordance with good industrial hygiene and safety practice.

Avoid exposure - obtain special instructions before use. Smoking, eating and drinking should be prohibited in the application area.

Do not get on skin or clothing. Avoid inhalation of vapour or mist.

Do not swallow. Do not get in eyes.

Avoid contact with skin and eyes.

Take care to prevent spills, waste and minimize release to the environment.

Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.



GARLON™ XRT Herbicide

Version Revision Date: SDS Number: Date of last issue: 04/04/2022 2.0 04/06/2022 800080005017 Date of first issue: 04/04/2022

Conditions for safe storage : Store in a closed container.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage. Keep in properly labelled containers.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store near acids.

Strong oxidizing agents

Packaging material : Unsuitable material: None known.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type	Control parame-	Basis
		(Form of	ters / Permissible	
		exposure)	concentration	
Triclopyr-2-butoxyethyl ester	64700-56-7	TWA	2 mg/m3	Dow IHG

Engineering measures : Use engineering controls to maintain airborne level below

exposure limit requirements or guidelines.

If there are no applicable exposure limit requirements or

guidelines, use only with adequate ventilation.

Local exhaust ventilation may be necessary for some opera-

tions.

Personal protective equipment

Respiratory protection : Respiratory protection should be worn when there is a poten-

tial to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process. In misty atmospheres, use an approved particulate respirator.

Hand protection

Remarks : Use gloves, chemically resistant to this material, at all times.

Examples of preferred glove barrier materials include: Butyl rubber. Polyethylene. Neoprene. Chlorinated polyethylene. Ethyl vinyl alcohol laminate ("EVAL"). Examples of acceptable glove barrier materials include: Viton. Natural rubber ("latex"). Polyvinyl chloride ("PVC" or "vinyl"). Nitrile/butadiene rubber ("nitrile" or "NBR"). NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reac-

tions to glove materials, as well as the instructions/specifications provided by the glove supplier.

Eye protection : Use chemical goggles.

Skin and body protection : Use chemical protective clothing resistant to this material,

when there is any possibility of skin contact.

Wear a face-shield which allows use of chemical goggles, or wear a full-face respirator, to protect face and eves when

there is any likelihood of splashes.



GARLON™ XRT Herbicide

Version Revision Date: SDS Number: Date of last issue: 04/04/2022 2.0 04/06/2022 800080005017 Date of first issue: 04/04/2022

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Liquid.

Colour : Yellow to orange

Odour : Musty

Odour Threshold : No data available

pH : 4.49 (24.5 °C)

Concentration: 1 %
Method: pH Electrode
(1% aqueous suspension)

Melting point/range : Not applicable

Freezing point No data available

Boiling point/boiling range : No data available

Flash point : > 100 °C

Method: closed cup

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Density : 1.2572 g/cm3 (20 °C)

Method: Digital density meter

Solubility(ies)

Water solubility : emulsifiable

Partition coefficient: n-

octanol/water

No data available.

Auto-ignition temperature : Ramped Temperature

Viscosity

Viscosity, dynamic : 191.4 mPa,s (20.4 °C)

Oxidizing properties : No significant increase (>5C) in temperature.



GARLON™ XRT Herbicide

Version Revision Date: SDS Number: Date of last issue: 04/04/2022 2.0 04/06/2022 800080005017 Date of first issue: 04/04/2022

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : No decomposition if stored and applied as directed.

Stable under normal conditions.

Possibility of hazardous reac-

tions

Stable under recommended storage conditions.

No hazards to be specially mentioned.

None known.
Conditions to avoid : None known.

Incompatible materials
Hazardous decomposition

products

: None.

: Decomposition products depend upon temperature, air supply

and the presence of other materials.

Decomposition products can include and are not limited to:

Nitrogen oxides (NOx) Hydrogen chloride gas

Carbon oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity : LD50 (Rat, female): 2,966 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.90 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Components:

Triclopyr-2-butoxyethyl ester:

Acute oral toxicity : LD50 (Rat, male and female): 803 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 4.8 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Symptoms: The LC50 value is greater than the Maximum

Attainable Concentration.

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Symptoms: No deaths occurred at this concentration.

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

Product:

Species : Rabbit

Result : Mild skin irritation



GARLON™ XRT Herbicide

Version Revision Date: SDS Number: Date of last issue: 04/04/2022 2.0 04/06/2022 800080005017 Date of first issue: 04/04/2022

Components:

Triclopyr-2-butoxyethyl ester:

Species : Rabbit

Result : No skin irritation

Serious eye damage/eye irritation

Product:

Species : Rabbit Result : Eye irritation

Components:

Triclopyr-2-butoxyethyl ester:

Species : Rabbit

Result : No eye irritation

Respiratory or skin sensitisation

Product:

Species : Mouse

Result : The product is a skin sensitiser, sub-category 1B.

Components:

Triclopyr-2-butoxyethyl ester:

Species : Guinea pig

Assessment : The product is a skin sensitiser, sub-category 1B.

Germ cell mutagenicity

Components:

Triclopyr-2-butoxyethyl ester:

Germ cell mutagenicity - : In vitro

Assessment

In vitro genetic toxicity studies were negative., Animal genetic

toxicity studies were negative.

Carcinogenicity

Components:

Triclopyr-2-butoxyethyl ester:

Carcinogenicity - Assess-

ment

For similar active ingredient(s)., Triclopyr., Did not cause can-

cer in laboratory animals.

Reproductive toxicity

Components:

Triclopyr-2-butoxyethyl ester:

Reproductive toxicity - Assessment

: For similar active ingredient(s)., Triclopyr., In laboratory animal studies, effects on reproduction have been seen only at

doses that produced significant toxicity to the parent animals. Has been toxic to the fetus in laboratory animals at doses toxic to the mother., Did not cause birth defects in laboratory

animals.



GARLON™ XRT Herbicide

Version SDS Number: Date of last issue: 04/04/2022 Revision Date: 04/06/2022 800080005017 2.0 Date of first issue: 04/04/2022

STOT - single exposure

Product:

Assessment : Evaluation of available data suggests that this material is not

an STOT-SE toxicant.

Components:

Triclopyr-2-butoxyethyl ester:

Assessment Evaluation of available data suggests that this material is not

an STOT-SE toxicant.

STOT - repeated exposure

Components:

Triclopyr-2-butoxyethyl ester:

Target Organs

Assessment May cause damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

Components:

Triclopyr-2-butoxyethyl ester:

Remarks In animals, effects have been reported on the following or-

> gans: Kidney. Liver.

Aspiration toxicity

Based on physical properties, not likely to be an aspiration hazard.

Components:

Triclopyr-2-butoxyethyl ester:

Based on physical properties, not likely to be an aspiration hazard.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Triclopyr-2-butoxyethyl ester:

Toxicity to fish LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.36 mg/l

Exposure time: 96 h

Test Type: flow-through test

Toxicity to daphnia and other :

EC50 (Daphnia magna (Water flea)): 2.9 mg/l

aquatic invertebrates Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

mg/l

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 3.00

plants

End point: Growth rate inhibition

Exposure time: 96 h

Method: OECD Test Guideline 201



GARLON™ XRT Herbicide

Version Revision Date: SDS Number: Date of last issue: 04/04/2022 2.0 04/06/2022 800080005017 Date of first issue: 04/04/2022

ErC50 (Myriophyllum spicatum): 0.0473 mg/l

Exposure time: 14 d

NOEC (Myriophyllum spicatum): 0.00722 mg/l

Exposure time: 14 d

M-Factor (Acute aquatic tox-

icity)

Toxicity to fish (Chronic tox-

icity)

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

10

NOEC (Rainbow trout (Oncorhynchus mykiss)): 0.0263 mg/l

End point: number of offspring

Exposure time: 21 d

LOEC (Daphnia magna (Water flea)): 5.1 mg/l

NOEC (Daphnia magna (Water flea)): 1.6 mg/l

End point: number of offspring

Exposure time: 21 d

MATC (Maximum Acceptable Toxicant Level) (Daphnia

magna (Water flea)): 2.9 mg/l End point: number of offspring

Exposure time: 21 d

M-Factor (Chronic aquatic

toxicity)

Toxicity to soil dwelling or-

ganisms

: 10

LC50 (Eisenia fetida (earthworms)): > 1,042 mg/kg

Exposure time: 14 d

Toxicity to terrestrial organ-

isms

oral LD50 (Colinus virginianus (Bobwhite quail)): 735 mg/kg

bodyweight.

Exposure time: 21 d

dietary LC50 (Colinus virginianus (Bobwhite quail)): 1890

mg/kg diet.

Exposure time: 8 d

oral LD50 (Apis mellifera (bees)): > 110 µg/bee

Exposure time: 48 h End point: mortality

contact LD50 (Apis mellifera (bees)): > 100 µg/bee

Exposure time: 48 h End point: mortality

Persistence and degradability

Components:

Triclopyr-2-butoxyethyl ester:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 18 % Exposure time: 28 d

Method: OECD Test Guideline 301B or Equivalent

Remarks: 10-day Window: Fail

Biochemical Oxygen De-

mand (BOD)

0.004 kg/kg



GARLON™ XRT Herbicide

Version Revision Date: SDS Number: Date of last issue: 04/04/2022 2.0 04/06/2022 800080005017 Date of first issue: 04/04/2022

ThOD : 1.39 kg/kg

Stability in water : Test Type: Hydrolysis

Degradation half life (half-life): 8.7 d (25 °C) pH: 7

Photodegradation : Rate constant: 2.3E-11 cm3/s

Method: Estimated.

Bioaccumulative potential

Components:

Triclopyr-2-butoxyethyl ester:

Bioaccumulation : Species: Fish

Bioconcentration factor (BCF): 110

Partition coefficient: n-

octanol/water

log Pow: 4.62

pH: 7

Remarks: Bioconcentration potential is moderate (BCF be-

tween 100 and 3000 or Log Pow between 3 and 5).

Balance:

Partition coefficient: n-

octanol/water

Remarks: No relevant data found.

Mobility in soil

Components:

Triclopyr-2-butoxyethyl ester:

Distribution among environ-

mental compartments

Remarks: Calculation of meaningful sorption data was not

possible due to very rapid degradation in the soil.

For the degradation product:

Triclopyr.

Potential for mobility in soil is very high (Koc between 0 and

50).

Stability in soil : Test Type: aerobic degradation

Dissipation time: 144 - 1,248 h

Balance:

Distribution among environ-

mental compartments

Remarks: No relevant data found.

Other adverse effects

Components:

Triclopyr-2-butoxyethyl ester:

Results of PBT and vPvB

assessment

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulating (vPvB).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list

of substances that deplete the ozone layer.



GARLON™ XRT Herbicide

Version Revision Date: SDS Number: Date of last issue: 04/04/2022 2.0 04/06/2022 800080005017 Date of first issue: 04/04/2022

Balance:

Results of PBT and vPvB

assessment

This substance has not been assessed for persistence, bioac-

cumulation and toxicity (PBT).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list

of substances that deplete the ozone layer.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : If wastes and/or containers cannot be disposed of according

to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regu-

lations.

If the material as supplied becomes a waste, follow all appli-

cable regional, national and local laws.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Triclopyr-2-butoxyethyl Ester)

Class : 9
Packing group : III
Labels : 9

IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(Triclopyr-2-butoxyethyl Ester)

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo

aircraft)

Packing instruction (passen-

964

964

ger aircraft)

IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Triclopyr-2-butoxyethyl Ester)

Class : 9 Packing group : III



GARLON™ XRT Herbicide

Version Revision Date: SDS Number: Date of last issue: 04/04/2022 2.0 04/06/2022 800080005017 Date of first issue: 04/04/2022

Labels : 9

EmS Code : F-A, S-F Marine pollutant : yes

Remarks : Stowage category A

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

TDG

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Triclopyr-2-butoxyethyl ester)

Class : 9
Packing group : III
Labels : 9
ERG Code : 171

Marine pollutant : yes(Triclopyr-2-butoxyethyl ester)

Further information

Marine Pollutants assigned UN number 3077 and 3082 in single or combination packaging containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass per single or inner packaging of 5 KG or less for solids may be transported as non-dangerous goods as provided in section 2.10.2.7 of IMDG code, IATA Special provision A197, and ADR/RID special provision 375.

For Canadian Ground transportation TDG Exemption: 1.45.1 Marine Pollutants (Part 3, Documentation, and Part 4, Dangerous Goods Safety Marks, do not apply if they are in transport solely on land by road vehicle or railway vehicle).

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

The components of this product are reported in the following inventories:

DSL : This product contains components that are not listed on the

Canadian DSL nor NDSL.

Pest Control Products Act (PCPA) Registration Number : 28945

Read the PCPA label, authorized under the Pest Control Products Act, prior to using or handling this pest control product.

This chemical is a pest control product registered by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act (PCPA). There are Canada-specific environmental requirements for handling, use, and disposal of this pest control product that are indicated on the label. These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. Following is the hazard information required on the pest control products label:

PCPA Label Hazard Communications:

Read the label and booklet before using. Keep out of reach of children.



GARLON™ XRT Herbicide

Version Revision Date: SDS Number: Date of last issue: 04/04/2022 2.0 04/06/2022 800080005017 Date of first issue: 04/04/2022

WARNING SKIN AND EYE IRRITANT POTENTIAL SKIN SENSITIZER

This product is highly toxic to: Fish Aquatic plants Aquatic invertebrates

SECTION 16. OTHER INFORMATION

Information Source and References

This SDS is prepared by Product Regulatory Services and Hazard Communications Groups from information supplied by internal references within our company.

Full text of other abbreviations

Dow IHG : Dow Industrial Hygiene Guideline Dow IHG / TWA : Time Weighted Average (TWA):

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China: IMDG - International Maritime Dangerous Goods: IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date : 04/06/2022 Date format : mm/dd/yyyy

Product code: GF-1665



GARLON™ XRT Herbicide

Version Revision Date: SDS Number: Date of last issue: 04/04/2022 2.0 04/06/2022 800080005017 Date of first issue: 04/04/2022

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / 6N