

SAFETY DATA SHEET
DISMISS® TURF HERBICIDE

SDS # : 6304-A
Revision date: 2016-05-26
Format: NA
Version 1.03



1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name DISMISS® TURF HERBICIDE

Other means of identification

Product Code(s) 6304-A

Synonyms SULFENTRAZONE (FMC 97285);
2',4'-dichloro-5'-(4-difluoromethyl-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl)
methanesulfonanilide (IUPAC name);
N-[2,4-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-
1,2,4-triazol-1-yl]phenyl] methanesulfonamide (CAS name)

Active Ingredient(s) Sulfentrazone,

Chemical Family Triazolinones

Recommended use of the chemical and restrictions on use

Recommended Use: Herbicide

Restrictions on Use: Use as recommended by the label

Manufacturer Address

FMC Corporation
2929 Walnut Street
Philadelphia, PA 19104
(215) 299-6000 (General Information)
msdsinfo@fmc.com (E-Mail General Information)

Emergency telephone number

For leak, fire, spill or accident emergencies, call:
1 800 / 424 9300 (CHEMTREC - U.S.A.)
1 703 / 527 3887 (CHEMTREC - Collect - All Other Countries)

Medical Emergencies:
1 800 / 331-3148 (PROSAR - U.S.A. & Canada)
1 651 / 632-6793 (PROSAR - All Other Countries - Collect)

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)


Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Specific target organ toxicity (repeated exposure)	Category 2

GHS Label elements, including precautionary statements

EMERGENCY OVERVIEW

Warning

Hazard Statements
H332 - Harmful if inhaled
H373 - May cause damage to organs through prolonged or repeated exposure



Precautionary Statements - Prevention

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response

P314 - Get medical advice/ attention if you feel unwell

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P312 - Call a POISON CENTER or doctor if you feel unwell

Precautionary Statements - Disposal

P501 - Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

No hazards not otherwise classified were identified.

Other Information

Very toxic to aquatic life.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Family Triazolinones.

Chemical name	CAS-No	Weight %
Sulfentrazone	122836-35-5	39.7
Propylene glycol	57-55-6	5-10
Toluene	108-88-3	1-5
n-Butanol	71-36-3	1-5

Synonyms are provided in Section 1.

4. FIRST AID MEASURES

Eye Contact

Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice.

Skin Contact

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for further treatment advice.

Inhalation	Move to fresh air. If person is not breathing, call 911 (within the U.S. and Canada) or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
Ingestion	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	None known.
Indication of immediate medical attention and special treatment needed, if necessary	Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media	Carbon dioxide (CO ₂). Foam. Dry powder. Water spray.
Specific Hazards Arising from the Chemical	
Explosion data	
Sensitivity to Mechanical Impact	Not sensitive.
Sensitivity to Static Discharge	Not sensitive.
Protective equipment and precautions for firefighters	Wear self-contained breathing apparatus and protective suit.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions	Isolate and post spill area. Remove all sources of ignition. Wear suitable protective clothing, gloves and eye/face protection. For personal protection see section 8.
Other	For further clean-up instructions, call FMC Emergency Hotline number listed in Section 1 "Product and Company Identification" above.
Environmental Precautions	Keep people and animals away from and upwind of spill/leak. Keep material out of lakes, streams, ponds, and sewer drains.
Methods for Containment	Dike to prevent runoff. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.
Methods for cleaning up	Clean and neutralize spill area, tools and equipment by washing with bleach water and soap. Absorb rinsate and add to the collected waste. Waste must be classified and labeled prior to recycling or disposal. Dispose of waste as indicated in Section 13.

7. HANDLING AND STORAGE

Handling	Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal.
Storage	Keep in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition. Keep out of reach of children and animals. Store in original container.
Incompatible products	None known

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Chemical name	ACGIH TLV	OSHA PEL	NIOSH	Mexico
---------------	-----------	----------	-------	--------

DISMISS® TURF HERBICIDE

SDS # : 6304-A
Revision date: 2016-05-26
Version 1.03

Toluene (108-88-3)	TWA: 20 ppm	TWA: 200 ppm Ceiling: 300 ppm	IDLH: 500 ppm TWA: 100 ppm TWA: 375 mg/m ³ STEL: 150 ppm STEL: 560 mg/m ³	Mexico: TWA 50 ppm Mexico: TWA 188 mg/m ³
n-Butanol (71-36-3)	TWA: 20 ppm	TWA: 100 ppm TWA: 300 mg/m ³	IDLH: 1400 ppm Ceiling: 50 ppm Ceiling: 150 mg/m ³	Mexico: Ceiling 50 ppm Mexico: Ceiling 150 mg/m ³
Chemical name	British Columbia	Quebec	Ontario TWAEV	Alberta
Propylene glycol (57-55-6)	-	-	TWA: 10 mg/m ³ aerosol only TWA: 50 ppm aerosol and vapor TWA: 155 mg/m ³ aerosol and vapor	-
Toluene (108-88-3)	TWA: 20 ppm	TWA: 50 ppm TWA: 188 mg/m ³ Skin	TWA: 20 ppm	TWA: 50 ppm TWA: 188 mg/m ³ Skin
n-Butanol (71-36-3)	TWA: 15 ppm Ceiling: 30 ppm	Ceiling: 50 ppm Ceiling: 152 mg/m ³ Skin	TWA: 20 ppm	TWA: 20 ppm TWA: 60 mg/m ³

Appropriate engineering controls

Engineering measures Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.

Individual protection measures, such as personal protective equipment

Eye/Face Protection If there is a potential for exposure to particles which could cause eye discomfort, wear chemical goggles.

Skin and Body Protection Wear long-sleeved shirt, long pants, socks, and shoes.

Hand Protection Protective gloves

Respiratory Protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Respiratory protection must be provided in accordance with current local regulations.

Hygiene measures Clean water should be available for washing in case of eye or skin contamination. Wash skin prior to eating, drinking, chewing gum or using tobacco. Shower or bathe at the end of working. Remove and wash contaminated clothing before re-use. Launder work clothing separately from regular household laundry.

General information If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. These recommendations apply to the product as supplied.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance Off-white Liquid
Physical State Liquid
Color Off-white
Odor Low Alcohol
Odor threshold No information available
pH 5.3-6.0 @ 20 °C
Melting point/freezing point Not applicable

Boiling Point/Range	No information available
Flash point	> 94 °C / > 201 °F Tag Closed Cup
Evaporation Rate	No information available
Flammability (solid, gas)	No information available
Flammability Limit in Air	
Upper flammability limit:	No information available
Lower flammability limit:	No information available
Vapor pressure	No information available
Vapor density	No information available
Density	10.0 lb/gal
Specific gravity	1.206 @ 20 °C
Water solubility	Dispersible in water
Solubility in other solvents	No information available
Partition coefficient	No information available
Autoignition temperature	No information available
Decomposition temperature	No information available
Viscosity, kinematic	No information available
Viscosity, dynamic	No information available
Explosive properties	No information available
Oxidizing properties	No information available
Molecular weight	No information available
Bulk density	No information available

10. STABILITY AND REACTIVITY

Reactivity	Not applicable
Chemical Stability	Stable.
Possibility of Hazardous Reactions	None under normal processing.
Hazardous polymerization	Hazardous polymerization does not occur.
Conditions to avoid	Excessive heat
Incompatible materials	None known.
Hazardous Decomposition Products	Carbon oxides (COx), Nitrogen oxides (NOx), Sulfur oxides, Hydrogen chloride, Hydrogen fluoride.

11. TOXICOLOGICAL INFORMATION

Product Information

LD50 Oral	2084 mg/kg (rat)
LD50 Dermal	> 2000 mg/kg (rabbit)
LC50 Inhalation	> 2.72 mg/L 4 hr (rat)
Serious eye damage/eye irritation	Slightly or non-irritating (rabbit).
Skin corrosion/irritation	Slightly or non-irritating (rabbit).
Sensitization	Non-sensitizing

Information on toxicological effects

Symptoms	Signs of toxicity in laboratory animals given sulfentrazone included clonic convulsions, ataxia, hypersensitivity to touch, chromorhinorrhea, abdominogenital staining, decreased locomotion, lacrimation, nasal discharge, and squinting eyes.
-----------------	---

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic toxicity	Sulfentrazone: Prolonged exposure cause decreased hemoglobin content and hematocrit, and increased spleen weight and splenic extramedullary hematopoiesis at high doses in animal studies.
Mutagenicity	Sulfentrazone: Not genotoxic in laboratory studies.
Carcinogenicity	Sulfentrazone: No evidence of carcinogenicity from animal studies.
Neurological effects	Sulfentrazone: Clinical signs of neurotoxicity in laboratory animals was observed at high

Reproductive toxicity	dose levels.
Developmental toxicity	Sulfentrazone: No toxicity to reproduction in animal studies. Sulfentrazone: Fetal weight decreased; delayed skeletal ossification observed at maternally non-toxic doses are reversible effects and a dose-response is established; malformations observed in fetuses at maternally toxic doses and consistent with the mode of action for protoporphyrongen oxidase inhibitors. Developmental toxicity testing and results were generated for sulfentrazone with toluene present as an impurity.
STOT - single exposure	Not classified.
STOT - repeated exposure	May cause damage to organs through prolonged or repeated exposure. See listed target organs below.
Target organ effects	Sulfentrazone: Hematopoietic system.
Neurological effects	Sulfentrazone: Clinical signs of neurotoxicity in laboratory animals was observed at high dose levels.
Aspiration hazard	No information available.

Chemical name	ACGIH	IARC	NTP	OSHA
Toluene 108-88-3		Group 3		

12. ECOLOGICAL INFORMATION

Ecotoxicity

Sulfentrazone (122836-35-5)				
Active Ingredient(s)	Duration	Species	Value	Units
Sulfentrazone	72 h EC50	Algae	32.8	mg/L
	48 h EC50	Crustacea	60.4	mg/L
	96 h LC50	Fish	94	mg/L
	21 d NOEC	Fish	5.9	mg/L
	21 d NOEC	Crustacea	0.51	mg/L

Persistence and degradability	Sulfentrazone: Persistent. Does not readily hydrolyze.
Bioaccumulation	Sulfentrazone: The substance does not have a potential for bioconcentration.
Mobility	Sulfentrazone: Mobile, Has potential to reach ground water.

13. DISPOSAL CONSIDERATIONS

Waste disposal methods	Improper disposal of excess pesticide, spray mixture, or rinsate is prohibited. If these wastes cannot be disposed of by use according to label instructions, contact appropriate disposal authorities for guidance.
Contaminated Packaging	Containers must be disposed of in accordance with local, state and federal regulations. Refer to the product label for container disposal instructions.

14. TRANSPORT INFORMATION

DOT	This material is not a hazardous material as defined by U.S. Department of Transportation at 49 CFR Parts 100 through 185.
TDG	Classification below is only applicable when shipped by vessel and is not applicable when shipped by road or rail only.
UN/ID no	UN3082
Proper Shipping Name	Environmentally hazardous substance, liquid, n.o.s.
Hazard class	9
Packing Group	III
Marine Pollutant	Sulfentrazone.
Description	UN3082, Sustancia ambientalmente peligrosa, liquido, n.e.p. (Sulfentrazone), 9, III,

Contaminante Marino

ICAO/IATA

UN/ID no UN3082
Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s.
Hazard class 9
Packing Group III
Description UN3082, Sustancia ambientalmente peligrosa, liquido, n.e.p. (Sulfentrazone), 9, III, Contaminante Marino

IMDG/IMO

UN/ID no UN3082
Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s.
Hazard class 9
Packing Group III
EmS No. F-A, S-F
Marine Pollutant Sulfentrazone
Description UN3082, Sustancia ambientalmente peligrosa, liquido, n.e.p. (Sulfentrazone), 9, III, Contaminante Marino

15. REGULATORY INFORMATION

U.S. Federal Regulations**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical name	CAS-No	Weight %	SARA 313 - Threshold Values %
Toluene - 108-88-3	108-88-3	1-5	1.0
n-Butanol - 71-36-3	71-36-3	1-5	1.0

SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic health hazard Yes
Fire hazard No
Sudden release of pressure hazard No
Reactive Hazard No

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Toluene 108-88-3	1000 lb	X	X	X
Sodium Hydroxide 1310-73-2	1000 lb			X

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs
Toluene 108-88-3	1000 lb 454 kg	
Sodium Hydroxide 1310-73-2	1000 lb 454 kg	
n-Butanol	5000 lb	

DISMISS® TURF HERBICIDE

SDS # : 6304-A
 Revision date: 2016-05-26
 Version 1.03

71-36-3	2270 kg	
---------	---------	--

FIFRA Information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

PRECAUCIÓN

*Causa irritación moderada en los ojos. Nocivo si se inhala, se ingiere o absorbe a través de la piel.
 Este pesticida es tóxico para los invertebrados marinos / estuarinos.*

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical name	California Prop. 65
Toluene - 108-88-3	Developmental

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Propylene glycol 57-55-6	X		X
Toluene 108-88-3	X	X	X
n-Butanol 71-36-3	X	X	X

International Inventories

Chemical name	TSCA (United States)	DSL (Canada)	EINECS/ELINC S (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
Propylene glycol 57-55-6	X	X	X	X	X	X	X	X
Toluene 108-88-3	X	X	X	X	X	X	X	X
n-Butanol 71-36-3	X	X	X	X	X	X	X	X

Mexico - Grade Slight risk, Grade 1

Chemical name	Carcinogen Status	Mexico
Toluene		Mexico: TWA 50 ppm Mexico: TWA 188 mg/m ³
n-Butanol		Mexico: Ceiling 50 ppm Mexico: Ceiling 150 mg/m ³

Chemical name	Mexico - Pollutant Release and Transfer Register - Reporting Emissions for Fabrication, Process or Use -Threshold Quantities	Pollutant Release and Transfer Register - Reporting Emissions - Threshold Quantities
Toluene	1000 5000 kg/yr	1000 kg/yr

WHMIS Hazard Class

D2B - Toxic materials



16. OTHER INFORMATION

NFPA	Health Hazards 1	Flammability 1	Instability 0	Special Hazards -
HMIS	Health Hazards 1*	Flammability 1	Physical hazard 0	Personal Protection X

Revision date: 2016-05-26
Reason for revision: (M)SDS sections updated

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. **NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN.** The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. Use of this product is regulated by the U.S. Environmental Protection Agency (EPA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Further, since the conditions and methods of use are beyond the control of FMC Corporation, FMC corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared By:

FMC Corporation

FMC Logo - Trademark of FMC Corporation

© 2016 FMC Corporation. All Rights Reserved.

End of Safety Data Sheet