#### 2021-1213 2021-04-29

# **Onguard PC 5**

## PRESSURIZED SPRAY COMMERCIAL

#### **GUARANTEE:**

Pyrethrins	0.50%
Piperonyl Butoxide	5.00%

# **REGISTRATION NO. 30421 PEST CONTROL PRODUCTS ACT**

NET CONTENTS ----- gms

# DANGER



EXTREMELY FLAMMABLE

EXPLOSIVE

**READ THE LABEL BEFORE USING** 

**UR-CAN INC.** 

PO Box 80088 Appleby

**Burlington**, Ontario

L7L 6B1

(905) 407-1404 or 1 (855) 407-1404

## FOR USE:

In animal quarters, milk rooms, dairy barns, horse barns, piggeries, shelter sheds, food processing plants, restaurants, hotels, hospitals, and other commercial and industrial buildings.

## **KILLS and REPELS:**

Stable flies, horse flies, face flies, deer flies, house flies, horn flies, mosquitoes, biting midges, wasps, flying moths, and crawling insects such as cockroaches, spiders, crickets, ants, carpet beetles, centipedes, silverfish, dog and cat fleas, Brown Dog and American Dog ticks and bed bugs

#### **DIRECTIONS:**

**SPACE SPRAY:** Food processing plants, restaurants, hotels, hospitals, and other commercial, and industrial buildings. In hospitals, do not use in nurseries or rooms where infants, ill or aged persons are confined. Remove all personnel and patients before starting to treat area. For space spraying building with animals, remove animals before treatment. Direct spray upwards to all parts of the room, especially windows and other light sources. Apply at a rate of 6 to 10 seconds per 30 cubic meters. Keep spray at least 1 metre from interior walls, fabrics and furniture to avoid potential staining. For best results, close all doors and windows during treatment and keep room closed for fifteen minutes before ventilating. Do not remain in treated areas. Ventilate treated areas thoroughly for at least 30 minutes before re-entry. In meat packing plants, apply only when plant is not in operation. Remove all food before treatment. Cover all food processing plants and food service establishments, you may apply when plant is in operation.

**CRAWLING INSECTS:** Apply to insect hiding places and breeding areas such as baseboards, moist areas, opening around sinks, drains, and pipes, behind cabinets and storage areas. If possible, hit insects directly to kill. Spray ant trails, around door sills, window frames or in ant nest. BED BUGS: Spray Mattress, particularly around seams and tufts. Take bed apart, spray joints. Repeat as required. FLEAS: Spray infested areas such as pet's bed and resting quarters, nearby cracks and crevices, along and behind baseboards, windows and door frames, and localized areas of floor and floor covering where these pests may be present. Remove old bedding after treatment. Insects must be contacted to be killed. Do not treat animals with this product.

MILK PARLORS AND MILKROOM SPACE SPRAY: When used in milk houses, and milk parlors use only when milk house is not in operation. Remove any animals from treatment area before spraying. Cover or remove all milk and milking implements before spraying to prevent contamination from spray and dead insects. After spraying, wash all surfaces that may contact milk and rinse thoroughly with potable water before resuming operations. **PRECAUTIONS:** KEEP OUT OF REACH OF CHILDREN. Do not use in presence of open flame or spark, or while smoking. CONTENTS UNDER PRESSURE. Container may explode if heated. Do not place in hot water or near radiators, stove or other sources of heat. Do not puncture or incinerate can or store at temperatures over 50°C. Harmful if swallowed. Avoid breathing of vapour. Avoid contact with skin or eyes. Do not remain in treated areas. Ensure proper ventilation after areas have been treated. Do not contaminate feed, foodstuffs, or water troughs. Food and feed should be removed or covered during treatment. All food and feed processing surfaces should be covered during treatment or thoroughly cleaned before use. Do not spray on walls, composition tile, plastic, painted or varnished surfaces or directly into electronic equipment such as radios, TVs, computers, etc. Wash after using.

**STORAGE:** Keep product in cool and dry place, away from open flames and heat sources.

**DISPOSAL:** Do not puncture or incinerate. When container is empty, press valve to release all remaining pressure. Dispose of empty container in accordance with provincial requirements. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

**FIRST AID INSTRUCTIONS:** If swallowed: Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. If inhaled: Mover person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre of doctor for further treatment advice. If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: This product contains petroleum distillates. Vomiting may cause aspiration pneumonia. Treat symptomatically.

**NOTICE TO USER:** This pest control product is to be used only in accordance with the directions on the label. It is an offense under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.