



Material Safety Data Sheet

BroadStar™ Herbicide

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: BroadStar™ Herbicide
VC NUMBER(S): 1836
PRODUCT CODE: 88560
SYNONYM(S): V-53482 0.25 G
EPA REGISTRATION NUMBER: 59639-128

MANUFACTURER/DISTRIBUTOR

VALENT U.S.A. CORPORATION
P.O. Box 8025
1600 Riviera Avenue, Suite 200
Walnut Creek, CA 94596-8025

EMERGENCY TELEPHONE NUMBERS

HEALTH EMERGENCY OR SPILL (24 hr):
(800) 892-0099
TRANSPORTATION (24 hr.): CHEMTREC
(800) 424-9300 or (202) 483-7616

PRODUCT INFORMATION

PROFESSIONAL PRODUCTS: (800) 898-2536

The current MSDS is available through our website (www.valent.com), or by calling the product information numbers listed above.

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

CAUTION

- Harmful if absorbed through skin
- Avoid breathing dust or spray mist
- Avoid contact with eyes, skin and clothing
- Keep out of reach of children

POTENTIAL HEALTH EFFECTS

Acute Toxicity (Primary Routes of Exposure): None known

Acute Eye Contact: This product is expected to cause minimal or no eye irritation. The expected adverse health effects resulting from an exposure may include redness and possibly some minor swelling.

Acute Skin Contact: This product can cause brief and/or minor irritation. The expected adverse health effects resulting from an exposure may include redness and possibly some minor swelling.

This product may be slightly toxic when absorbed through the skin.

This product is not expected to cause allergic skin reactions.

Acute Ingestion: This product is expected to be minimally toxic when ingested.

Acute Inhalation: This product is expected to be minimally toxic when inhaled. Exposure to high concentrations in the air may result in respiratory irritation. Signs and symptoms may include, but not be limited to, nasal discharge, sore throat, coughing and difficulty in breathing.

Emergency Telephone: (800) 892-0099
REVISION NUMBER: 5

MSDS NO.: 0214
REVISION DATE: 02/08/2010

Chronic Toxicity (including cancer): Repeated exposures to Flumioxazin Technical in animals have produced anemia and other blood formation changes, organ weight changes and changes in blood chemistry. Flumioxazin Technical did not produce cancer in life-time feeding studies in laboratory animals.

Developmental Toxicity (birth defects): Birth defects were produced in the offspring of female rats exposed to Flumioxazin Technical. No effects were observed in rabbits.

Reproductive Toxicity: Reproductive effects were observed in rats exposed to Flumioxazin Technical.

Signs and Symptoms of Systemic Effects: The toxicity of this product has not been fully assessed. The information provided is based on the technical material or a similar product.

No signs or symptoms occurred in animals exposed to high oral or dermal doses of Flumioxazin Technical. Exposure to very high concentrations of Flumioxazin Technical in the air resulted in breathing difficulties, decreased activity and some changes in the tissues of the respiratory system.

Potentially Aggravated Medical Conditions: Individuals with anemia or preexisting diseases of the blood may have increased susceptibility to the toxicity of excessive exposures.

For complete discussion of the toxicology data from which this evaluation was made, refer to Section 11. For Ecotox/Environmental Information, refer to Section 12. For Regulatory Information, refer to Section 15.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Weight/ Percent	Purpose
Flumioxazin (2-[7-fluoro-3,4-dihydro-3-oxo-4-(2-propynyl)-2H-1,4-benzoxazin-6-yl]-4,5,6,7-tetrahydro-1H-isoindole-1,3(2H)-dione)	103361-09-7	0.22-0.28	Active Ingredient
Kaolin clay	1332-58-7	25-35	Carrier
Hydrated Amorphous Silica	112926-00-8	0.22-0.28	Flow aid
Others (including particulates not otherwise classified)	No CAS#	65 - 75	Other Ingredients

Other ingredients, which are maintained as trade secrets, are any substances other than an active ingredient contained in this product. Some of these may be hazardous, but their identities are withheld because they are considered trade secrets. The hazards associated with the other ingredients are addressed in this document. Specific information on other ingredients for the management of exposures, spills, or safety assessments can be obtained by a treating physician or nurse by calling **(800) 892-0099** at any time.

4. FIRST AID MEASURES

EMERGENCY NUMBER (800) 892-0099

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact **1-800-892-0099** for emergency medical treatment information.

EYE CONTACT:

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

SKIN CONTACT:

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

INGESTION:

Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. DO NOT induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

INHALATION:

Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

NOTES TO PHYSICIAN:

None

5. FIRE FIGHTING MEASURES

FLASH POINT:	Not applicable	
AUTOIGNITION:	Not Applicable	
EXTINGUISHING MEDIA:	Water fog, carbon dioxide, foam, dry chemical	
FLAMMABLE LIMITS IN AIR - LOWER (%):		Not applicable
FLAMMABLE LIMITS IN AIR - UPPER (%):		Not applicable

NFPA RATING:

Health:	1
Flammability:	1
Reactivity:	0
Special:	None

(Least-0, Slight-1, Moderate-2, High-3, Extreme-4). These values are obtained using professional judgement. Values were not available in the guidelines or published evaluations prepared by the National Fire Protection Association, NFPA.

FIRE FIGHTING INSTRUCTIONS: Products of combustion from fires involving this material may be toxic. Avoid breathing smoke and mists. Avoid personnel and equipment contact with fallout and runoff. Minimize the amount of water used for fire fighting. Do not enter any enclosed area without full protective equipment, including self-contained breathing equipment. Contain and isolate runoff and debris for proper disposal. Decontaminate personal protective equipment and fire fighting equipment before reuse.

HAZARDOUS DECOMPOSITION PRODUCTS: Normal combustion forms carbon dioxide, water vapor and may produce: Oxides of Nitrogen, Nitrogen compounds, Fluorine compounds. Incomplete combustion can produce carbon monoxide.

6. ACCIDENTAL RELEASE MEASURES

VALENT EMERGENCY PHONE NUMBER: (800) 892-0099
CHEMTREC EMERGENCY PHONE NUMBER: (800) 424-9300
OBSERVE PRECAUTIONS IN SECTION 8: PERSONAL PROTECTION

Stop the source of the spill if safe to do so. Contain the spill to prevent further contamination of the soil, surface water, or ground water. For additional spill response information refer to the North American Emergency Response Guidebook.

UN/NA NUMBER: Not applicable **EMERGENCY RESPONSE GUIDEBOOK NO.:** Not applicable

FOR SPILLS ON LAND:

CONTAINMENT: Reduce airborne dust. Avoid runoff into storm sewers or other bodies of water.

CLEANUP: Clean up spill immediately. Vacuum or sweep up material and place in a chemical waste container. Wash area with soap and water. Pick up wash liquid with additional absorbent and place in a chemical waste container.

FOR SPILLS IN WATER:

CONTAINMENT: This material is insoluble in water. This material will sink to the bottom. Stop or reduce contamination of any water. Isolate contaminated water.

CLEANUP: Remove contaminated water for treatment or disposal.

Emergency Telephone: (800) 892-0099
REVISION NUMBER: 5

MSDS NO.: 0214
REVISION DATE: 02/08/2010

7. HANDLING AND STORAGE

END USER MUST READ AND OBSERVE ALL PRECAUTIONS ON PRODUCT LABEL.

HANDLING:

Keep pesticide in original container. Do not store or transport near food or feed. Do not contaminate food or feed. Do not put concentrate into food or drink containers. Do not dilute concentrate in food or drink containers. .

STORAGE:

Store in a cool, dry place, out of direct sunlight.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

END USER MUST READ AND OBSERVE ALL PRECAUTIONS ON PRODUCT LABEL.

EYES & FACE: Do not get this material in your eyes. Eye contact can be avoided by wearing protective eyewear.

RESPIRATORY PROTECTION: Use this material only in well ventilated areas. Unless ventilation is adequate to keep airborne concentrations below recommended exposure standards, approved respiratory protection should be worn.

This material may be a respiratory irritant and, unless ventilation is adequate, the use of approved respiratory protection is recommended. Use this material only in well ventilated areas.

SKIN & HAND PROTECTION: Avoid contact with skin or clothing. Skin contact should be minimized by wearing protective clothing including gloves.

EXPOSURE LIMITS

Chemical Name	ACGIH Exposure Limits	OSHA Exposure Limits	Manufacturer's Exposure Limits
Flumioxazin (2-[7-fluoro-3,4-dihydro-3-oxo-4-(2-propynyl)-2H-1,4-benzoxazin-6-yl]-4,5,6,7-tetrahydro-1H-isoindole-1,3(2H)-dione)	None	None	None
Kaolin clay	2 mg/m ³ TWA (respirable fraction)	15 mg/m ³ TWA 5 mg/m ³ TWA	None
Hydrated Amorphous Silica	10 mg/m ³ (total amorphous dust); 3 mg/m ³ (respirable nuisance particulate)	6 mg/m ³ (total dust)	None
Others (including particulates not otherwise classified)	10 mg/m ³ TWA (inhalable particulate); 3 mg/m ³ TWA (respirable fraction)	15 mg/m ³ TWA (total dust); 5 mg/m ³ TWA (respirable fraction)	None

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL FORM:	Granule
COLOR:	Gray
ODOR:	Odorless
FLASH POINT:	Not applicable
MELTING POINT:	Not applicable
BOILING POINT:	Not applicable
BULK DENSITY:	0.76 g/ml (47 lb./cu. ft.)
DISSOCIATION CONSTANT:	Not applicable
pH:	8.4 @ 24°C (1% slurry)
CORROSION CHARACTERISTICS:	Not corrosive
SOLUBILITY:	Insoluble in water

10. STABILITY AND REACTIVITY

CHEMICAL STABILITY:	Stable at normal ambient temperatures.
INCOMPATIBILITY:	This product is compatible with water, monoammonium phosphate (fire extinguishing agent), elemental zinc (reducing agent), and 1% (w/v) aqueous potassium permanganate (oxidizing agent).
OXIDATION/REDUCTION PROPERTIES:	Not an oxidizing or reducing agent.
EXPLODABILITY:	Not expected to be explosive
HAZARDOUS DECOMPOSITION PRODUCTS:	Normal combustion forms carbon dioxide, water vapor and may produce: Oxides of Nitrogen, Nitrogen compounds, Fluorine compounds. Incomplete combustion can produce carbon monoxide.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY:

There is no toxicology information available for this specific formulation. The following information is for the technical material or a similar formulation.

Oral Toxicity LD ₅₀ (rats)	> 5000 mg/kg	EPA Tox Category	IV
Dermal Toxicity LD ₅₀ (rats)	> 2000 mg/kg	EPA Tox Category	III
Inhalation Toxicity LC ₅₀ (rats)	> 3.9 mg/L	EPA Tox Category	IV
Eye Irritation (rabbits)	Mildly irritating	EPA Tox Category	IV
Skin Irritation (rabbits)	Non-irritating	EPA Tox Category	IV
Skin Sensitization (guinea pigs)	Non-sensitizer	EPA Tox Category	Not applicable

CARCINOGEN CLASSIFICATION

Chemical Name	IARC - Group 1 (carcinogenic to humans)	IARC - Group 2A (Probably carcinogenic)	IARC - Group 2B (Possibly carcinogenic)	NTP Carcinogen List
Flumioxazin (2-[7-fluoro-3,4-dihydro-3-oxo-4-(2-propynyl)-2H-1,4-benzoxazin-6-yl]-4,5,6,7-tetrahydro-1H-isoindole-1,3(2H)-dione)	no	no	no	Not listed
Kaolin clay	No	No	No	Not listed
Hydrated Amorphous Silica	No	No	No	Not listed
Others (including particulates not otherwise classified)	No	No	No	Not listed

TOXICITY OF FLUMIOXAZIN TECHNICAL

SUBCHRONIC: Compound related effects of Flumioxazin Technical noted in rats following subchronic exposures at high dose levels were hematotoxicity including anemia, and increases in liver, spleen, heart, kidney and thyroid weights. In dogs, the effects produced at high dose levels included a slight prolongation in activated partial thromboplastin time, increased cholesterol and phospholipid, elevated alkaline phosphatase, increased liver weights and histological changes in the liver. The lowest no-observable-effect-level (NOEL) in subchronic studies was 30 ppm in the three-month toxicity study in rats.

CHRONIC/CARCINOGENICITY: In a one year dog feeding study, Flumioxazin Technical produced treatment-related changes in blood chemistry and increased liver weights at 100 and 1000 mg/kg/day. Minimal treatment-related histological changes were noted in the livers of animals in the 1000 mg/kg/day group. Based on these data the NOEL is 10 mg/kg/day. Dietary administration of Flumioxazin Technical for 18 months produced liver changes in mice of the 3000 and 7000 ppm groups. There was no evidence of any treatment-related oncogenic effect. The NOEL for this study is 300 ppm. Dietary administration of Flumioxazin Technical for 24 months produced anemia and chronic nephropathy in rats of the 500 and 1000 ppm groups. The anemia lasted throughout the treatment period, however, it was not progressive nor aplastic in nature. No evidence of an oncogenic effect was observed. The NOEL for this study is 50 ppm.

DEVELOPMENTAL TOXICITY: Flumioxazin Technical produces developmental toxicity in rats in the absence of maternal toxicity at doses of 30 mg/kg/day by the oral route and 300 mg/kg/day by the dermal route. The developmental effects noted consisted primarily of decreased number of live fetuses and fetal weights, cardiovascular abnormalities, wavy ribs and decreased number of ossified sacrococcygeal vertebral bodies. The developmental NOEL in the rat oral and dermal developmental toxicity studies were 10 and 100 mg/kg/day, respectively. The response in rabbits was very different from that in rats. No developmental toxicity was noted in rabbits at doses up to 3000 mg/kg/day, a dose well above the maternal NOEL of 1000 mg/kg/day.

REPRODUCTION: Reproductive toxicity was observed in F1 males, P1 females and F1 females at 300 ppm Flumioxazin Technical, the highest dose tested and a dose that also produced signs of systemic toxicity. Toxicity was also observed in the F1 and F2 offspring at doses of 200 ppm and greater.

MUTAGENICITY: Flumioxazin Technical was not mutagenic in most *in vitro* assays: gene mutation and a chromosome aberration assay in the absence of metabolic activation. In three *in vivo* assays, chromosome aberration, unscheduled DNA synthesis and micronucleus assay, Flumioxazin Technical was not mutagenic. The only positive response was observed in the *in vitro* chromosome aberration assay in the presence of metabolic activation. Overall, Flumioxazin Technical does not present a genetic hazard.

For a summary of the potential for adverse health effects from exposure to this product, refer to Section 2. For information regarding regulations pertaining to this product, refer to Section 15.

12. ECOLOGICAL INFORMATION

AVIAN TOXICITY:

Based upon EPA designation, Flumioxazin Technical is practically non-toxic to avian species. The following results were obtained from studies with Flumioxazin Technical:

Oral LD₅₀ bobwhite quail: greater than 2250 mg/kg
Dietary LC₅₀ bobwhite quail: greater than 5620 ppm
Dietary LC₅₀ mallard duck: greater than 5620 ppm.

Flumioxazin Technical in the diet. In mallard ducks, a slight, but not statistically significant reduction in hatchlings and 14-day old survivors was observed. Based on a possible, slight effect on egg production at 500 ppm, the NOEL for this study was 250 ppm.

AQUATIC ORGANISM TOXICITY: Based upon EPA designation, Flumioxazin Technical is slightly to moderately toxic to freshwater fish; moderately toxic to freshwater invertebrates; moderately toxic to estuarine/marine fish and moderately to highly toxic estuarine/marine invertebrates, based on the following tests:

96-hour LC₅₀ rainbow trout: 2.3 mg/L
 96-hour LC₅₀ bluegill sunfish: greater than 21 mg/L
 48-hour LC₅₀ Daphnia magna: 5.5 mg/L
 96-hour LC₅₀ sheepshead minnow: greater than 4.7 mg/L
 96-hour (shell deposition) EC₅₀ eastern oyster: 2.8 mg/L
 96-hour LC₅₀ mysid shrimp: 0.23 mg/L
 Fish early life-stage (rainbow trout): NOEC >7.7 µg/L, <16 µg/L
 Chronic toxicity (mysid shrimp): NOEC >15 µg/L, <27 µg/L
 Chronic toxicity (Daphnia magna): NOEC >52 µg/L, <99 µg/L.

OTHER NON-TARGET ORGANISM TOXICITY:

Based upon EPA designation, Flumioxazin Technical is practically non-toxic to bees. The acute contact LC₅₀ to bees was greater than 105 ug/bee.

13. DISPOSAL CONSIDERATIONS

END USERS MUST DISPOSE OF ANY UNUSED PRODUCT AS PER THE LABEL RECOMMENDATIONS.

DISPOSAL METHODS: Check government regulations and local authorities for approved disposal of this material. Dispose in accordance with applicable laws and regulations.

14. TRANSPORT INFORMATION

UN/NA NUMBER:	Not applicable
DOT (ground) SHIPPING NAME:	Herbicide, solid, non-regulated
TECHNICAL NAME (hazardous material):	Not applicable
HAZARD CLASS:	Not applicable
PACKING GROUP:	Not applicable
DOT REPORTABLE QUANTITY (RQ):	Not applicable
REMARKS:	None
EXEMPTION REQUIREMENT:	None
EMERGENCY RESPONSE GUIDEBOOK NO.:	Not applicable
MARINE POLLUTANT:	Not applicable

15. REGULATORY INFORMATION

PESTICIDE REGULATIONS: All pesticides are governed under FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act). Therefore, the regulations presented below are pertinent only when handled outside of the normal use and applications of pesticides. This includes waste streams resulting from manufacturing/formulation facilities, spills or misuse of products, and storage of large quantities of products containing hazardous or extremely hazardous substances.

U.S. FEDERAL REGULATIONS:

Ingredients in this product are reviewed against an inclusive list of federal regulations. Therefore, the user should consult appropriate authorities. The federal regulations reviewed include: Clean Water Act, SARA, CERCLA, RCRA, DOT, TSCA and OSHA. If no components or information is listed in the space below this paragraph, then none of the regulations reviewed are applicable.

Emergency Telephone: (800) 892-0099
REVISION NUMBER: 5

MSDS NO.: 0214
REVISION DATE: 02/08/2010

SARA (311, 312):

Immediate Health:	Yes
Chronic Health:	Yes
Fire:	No
Sudden Pressure:	No
Reactivity:	No

STATE REGULATIONS:

Each state may promulgate standards more stringent than the federal government. This section cannot encompass an inclusive list of all state regulations. Therefore, the user should consult state or local authorities. The state regulations reviewed include: California Proposition 65, California Directors List of Hazardous Substances, Massachusetts Right to Know, Michigan Critical Materials List, New Jersey Right to Know, Pennsylvania Right to Know, Rhode Island Right to Know and the Minnesota Hazardous Substance list. For Washington State Right to Know, see Section 8 for Exposure Limit information. For Louisiana Right to Know refer to SARA information listed under U.S. Regulations above. If no components or information is listed in the space below this paragraph, then none of the regulations reviewed are applicable.

Flumioxazin (2-[7-fluoro-3,4-dihydro-3-oxo-4-(2-propynyl)-2H-1,4-benzoxazin-6-yl]-4,5,6,7-tetrahydro-1H-isoindole-1,3(2H)-dione)

California Proposition 65	Not Listed
NJ Right To Know	Listed

Kaolin clay

MA Right To Know	Listed
PA Right To Know	Listed
RI Right To Know	Listed
MN Hazardous Substance	Listed

Hydrated Amorphous Silica

MA Right To Know	Listed
PA Right To Know	Listed
MN Hazardous Substance	Listed

For information regarding potential adverse health effects from exposure to this product, refer to Sections 2 and 11.

16. OTHER INFORMATION

REASON FOR ISSUE:	New VC Number; Slight formulation change, edits throughout.
MSDS NO.:	0214
EPA REGISTRATION NUMBER:	59639-128
REVISION NUMBER:	5
REVISION DATE:	02/08/2010
SUPERCEDES DATE:	May 2, 2008
RESPONSIBLE PERSON(S):	Valent U.S.A. Corporation, Corporate EH&S, (925) 256-2803

This Material Safety Data Sheet (MSDS) serves different purposes than and DOES NOT REPLACE OR MODIFY THE EPA-APPROVED PRODUCT LABELING (attached to and accompanying the product container). This MSDS provides important health, safety, and environmental information for employers, employees, emergency responders and others handling large quantities of the product in activities generally other than product use, while the labeling provides that information specifically for product use in the ordinary course.

Use, storage and disposal of pesticide products is regulated by the EPA under the authority of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) through the product labeling. All necessary and appropriate precautionary, use,

storage, and disposal information is set forth on that labeling. It is a violation of federal law to use a pesticide product in any manner not prescribed on the EPA-approved label.

The information in this MSDS is based on data available to us as of the revision date given herein, and believed to be correct. Contact Valent U.S.A. Corporation to confirm if you have the most current MSDS.

Judgements as to the suitability of information herein for the individual's own use or purposes are necessarily the individual's own responsibility. Although reasonable care has been taken in the preparation of such information, Valent extends no warranties, makes no representations, and assumes no responsibility as to the accuracy or suitability of such information for application to the individual's purposes or the consequences of its use.

2010 Valent U.S.A. Corporation