

SAFETY DATA SHEET

Sunspray Ultra-N

Section 1. Identification

Product name: Sunspray Ultra-N
Chemical name: Distillates (petroleum), solvent-dewaxed light paraffinic
Synonyms: Not available

Relevant identified uses of the substance or mixture and uses advised against

Product use: Pesticidal spray oil (only to be used as indicated on the label).
EPA Registration Number: 86330-14

Manufacturer: HollyFrontier Refining & Marketing LLC
1700 South Union Avenue
Tulsa, OK 74107
Customer Service: (800) 456-4786

Emergency telephone number: CHEMTREC® (800) 424-9300
CCN 201319

Section 2. Hazards identification

Classification of the substance or mixture: ASPIRATION HAZARD —Category 1

GHS label elements

Hazard pictograms:



Signal word: Danger

Hazard statements: May be fatal if swallowed and enters airways.

Precautionary statements

Prevention: Not applicable.

Response: IF SWALLOWED: Immediately call a POISON CENTER or physician. Do NOT induce vomiting.

Storage: Stored locked up.

Disposal: Dispose of contents and container in accordance with all local, regional, national and international regulations.

Supplemental label elements: Avoid contact with skin and clothing. Wash thoroughly after handling. Defatting of the skin. Prolonged or repeated contact may dry skin and cause irritation. Heated material can cause thermal burns.

Hazards not otherwise classified: This substance/mixture does not meet the PBT/vPVB criteria for REACH, Annex XIII.

Section 3. Composition/information on ingredients

Substance/mixture: Substance

CAS number/other identifiers

CAS number: 64742-56-9

Product code: 3140-00

EPA Registration No.: 86330-14

Ingredient name	%	CAS number
Distillates (petroleum), solvent-dewaxed light paraffinic	100	64742-56-9

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

“Active Ingredient: Mineral Oil” stated on label required by USEPA-FIFRA in Revised Reregistration Eligibility Decision (RED) for Aliphatic Solvents. The specific CAS # and ingredient name listed above is the mineral oil in this product.

Based on our knowledge of our products, there are no additional ingredients present that are classified as hazardous to health or to the environment, which require reporting in this section. As applicable, see Section 8 for Occupational Exposure Limits.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact: Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Remove contact lenses. If eye irritation persists, obtain medical treatment. For contact with heated product, flush immediately with plenty of cool water for at least 15 minutes. Get medical attention.

Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen and continue monitoring by trained personnel. Get immediate medical attention if victim is unconscious. Seek medical attention if cough or other symptoms develop.

Skin contact: Wash with soap and water. Get medical attention if irritation develops or persists. Remove contaminated clothing and wash before reuse. For contact with heated product, flush immediately with plenty of cool water for at least 15 minutes.

Ingestion: Aspiration hazard. Can enter lungs and cause damage. If swallowed, get medical attention immediately. Contact a physician or Poison Control Center. Do not induce vomiting. Never give anything by mouth to an intoxicated, unconscious or convulsing person. Get medical attention immediately.

Most important symptoms/effects, acute and delayed

Eye contact: Slightly irritating to the eyes. May cause tearing, burning sensation and redness. Contact with product at elevated temperatures may result in thermal burns.

Inhalation: Vapors and/or mists which may be formed at elevated temperatures may be irritating to eyes, nose, throat, upper respiratory tract and lungs.

Skin contact: May cause skin dryness, irritation and defatting of the skin. Contact with product at elevated temperatures may result in thermal burns.

Ingestion: Aspiration hazard. While ingesting or vomiting, may enter lungs and cause damage. Gastrointestinal tract irritation with possible nausea, vomiting and diarrhea.

See toxicological information (Section 11).

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician: Treat symptomatically. Contact physician or poison control center immediately if ingested or if large quantities have been inhaled.

Specific treatments: No specific treatment.

Protection of medical responders: Do not attempt to take action without suitable protective equipment. See Section 8 for additional information on protection measures. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media: In case of fire, use water spray (fog), regular foam, dry chemical or carbon dioxide. Carbon dioxide can displace oxygen. Use caution when applying carbon dioxide in confined spaces. Simultaneous use of foam and water on the same surface is to be avoided as water destroys the foam.

Unsuitable extinguishing media: Do not direct solid streams into the hot burning liquid.

Specific hazards arising from the chemical: Use water spray or fog to cool exposed containers. Closed containers of this material may explode when subjected to heat from surrounding fire.

Hazardous thermal decomposition products:	Decomposition products may include the following materials: carbon dioxide, carbon monoxide and other asphyxiants.
Special protective actions for fire-fighters:	Fight fire from a safe distance and protected location. Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed containers.
Special protective equipment for fire-fighters:	Wear structural firefighting gear. As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel:	Remove ignition sources. Ensure adequate ventilation. Do not attempt to take action without suitable protective equipment. See Section 8 for additional information on protection measures.
For emergency responders:	Remove ignition sources. Ensure adequate ventilation. Do not attempt to take action without suitable protective equipment. See Section 8 for additional information on protection measures.
Environmental precautions:	Do not allow spilled material to runoff and contact soil, waterways, drains and sewers.

Methods and materials used for containment and clean-up

Small spill:	Contain spilled liquid with sand or earth. DO NOT use combustible materials such as sawdust. Use appropriate personal protective equipment as stated in Section 8. Advise the Environmental Protection Agency (EPA) and appropriate state agencies, if required. Absorb spill with inert material (e.g., dry sand or earth), then place in a chemical waste container. Vacuum or sweep up material and place in a disposal container. Dispose of via a licensed waste disposal contractor.
Large spill:	Stop leak if possible without risk. Approach release from upwind. Prevent entry of release material into sewers, waterways, basements or confined areas. Contain spilled liquid with sand or earth. DO NOT use combustible materials such as sawdust. Use appropriate personal protective equipment as stated in Section 8. Advise the Environmental Protection Agency (EPA) and appropriate state agencies, if required. Absorb spill with inert material (e.g., dry sand or earth), then place in a chemical waste container. Vacuum or sweep up material and place in a disposal container. Dispose of via a licensed waste disposal contractor.

Consult product label for additional information.

Section 7. Handling and storage

Precautions for safe handling

Protective measures:

Wear appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Use only with adequate ventilation or wear appropriate respirator. High pressure skin injection is a medical emergency. The injury will not appear serious at first but within a few hours, the affected tissue will appear swollen, discolored and extremely painful. Follow all SDS/label precautions even after container is emptied because it may contain product residue.

Advice on general hygiene practices:

Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Remove contaminated clothing and protective equipment prior to entering eating areas.

Conditions for safe storage, including any incompatibilities:

NFPA Class IIIB storage. Combustible liquid. Flash point is greater than 200° F (93.3° C). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use.

Consult product label for additional information.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Distillates (petroleum), solvent-dewaxed light paraffinic	OSHA PEL TWA: 5 mg/m ³ 8 hours ACGIH TLV TWA: 5 mg/m ³ 8 hours. Form: inhalable fraction. NIOSH REL (United States, 1/2013). TWA: 5 mg/m ³ 10 hours. Form: Mist STEL: 10 mg/m ³ 15 minutes. Form: Mist

Appropriate engineering controls:

Use with adequate ventilation. Local exhaust ventilation may be necessary when handling or using this product to keep exposure to airborne contaminants below the exposure limit.

Personal Protective Measures

Personal hygiene measures:

Wash thoroughly after handling. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye and face protection:	Safety glasses with side shields or splash proof chemical goggles are recommended to protect against the splash of product.
<u>Skin protection</u>	
Hand protection:	Protective gloves are recommended to protect against contact with product. The gloves listed may provide protection against permeation: polyvinyl chloride (PVC), neoprene, nitrile, polyvinyl alcohol (PVA), Viton®. Gloves of other chemically resistant materials may not provide adequate protection.
Other body protection:	Where splashing is possible, fully chemical resistant protective clothing (e.g. acid suit) and boots are recommended. Wear insulated impervious protective gear to protect against the splash of product. The following materials are acceptable for use as protective clothing: polyvinyl alcohol (PVA); neoprene; nitrile; Viton®. Wear appropriate footwear.
Respiratory protection:	Concentration in air determines the level of respiratory protection needed. Use only NIOSH certified respiratory equipment. Respiratory protection is not usually needed unless product is heated or misted. Half-mask air purifying respirator with dust / mist filters or HEPA filter cartridges is acceptable for exposures to ten (10) times the exposure limit. Full-face air purifying respirator with dust / mist filters or HEPA filter cartridges is acceptable for exposures to fifty (50) times the exposure limit. Protection by air purifying respirators is limited. Use a positive pressure-demand full-face supplied air respirator or SCBA for exposures greater than fifty (50) times the exposure limit. If exposure is above the IDLH (Immediately Dangerous to Life and Health) or there is the possibility of an uncontrolled release, or exposure levels are unknown, then use a positive pressure-demand full-face supplied air respirator with escape bottle or SCBA. Wear a NIOSH-approved (or equivalent) full-face-piece airline respirator in the positive pressure mode with emergency escape provisions.

“Active Ingredient: Mineral Oil” stated on label required by USEPA-FIFRA in Revised Reregistration Eligibility Decision (RED) for Aliphatic Solvents. The specific CAS # and ingredient name listed above is the mineral oil in this product.

Section 9. Physical and chemical properties

Appearance

Physical state:	Liquid.
Color:	Colorless
Odor:	Slight
Odor threshold:	Not available
pH:	Not applicable

Melting point:	Pour point [ASTM D5950]: -15°C (5°F)
Boiling point:	318 to 363°C (604 to 685°F) [ASTM D2887]
Flash point:	Open cup: 172°C (342°F) [ASTM D92]
Evaporation rate:	Not available
Flammability (solid, gas):	Not available
Lower and upper explosive (flammable) limits:	Not available
Vapor pressure:	0.000013 kPa (0.0001 mm Hg) (20°C (68°F))
Vapor density:	Not available
Specific gravity:	0.85 [16°C (60°F)] [ASTM D1298] Bulk density: 7.1 lbs/gal [ASTM D1250]
Solubility:	Insoluble in the following materials: cold water and hot water
Partition coefficient:	
n-octanol/water:	2 to ≥ 6
Auto-ignition temperature:	343°C (650°F) [ASTM D2155]
Decomposition temperature:	Not available
Viscosity:	Kinematic (100°F): 64 SUS [ASTM D2161] Kinematic (40°C (104°F)): 0.107 cm ² /s (10.7 cSt) (ASTM D445)
Molecular weight:	311 g/mole

Section 10. Stability and reactivity

Reactivity:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability:	The product is stable.
Possibility of hazardous reactions:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid:	Keep away from heat, sparks and flame.
Incompatible materials:	Reactive or incompatible with the following materials: oxidizing materials
Hazardous decomposition products:	Under normal conditions of storage and use, hazardous decomposition products should not be produced. Thermal decomposition products may include the following materials: Carbon dioxide, Carbon monoxide and other asphyxiants.

Section 11. Toxicological information

Likely Routes of Exposure: Routes of entry anticipated: Oral, Dermal, Inhalation.

Symptoms related to the physical, chemical and toxicological characteristics:

Eye contact: Slightly irritating to the eyes. May cause tearing, burning sensation and redness. Contact with product at elevated temperatures may result in thermal burns.

Inhalation:	Vapors and/or mists which may be formed at elevated temperatures may be irritating to eyes, nose, throat, upper respiratory tract and lungs.
Skin contact:	May cause skin dryness, irritation and defatting of the skin. Contact with product at elevated temperatures may result in thermal burns.
Ingestion:	Aspiration hazard. While ingesting or vomiting, may enter lungs and cause damage. Gastrointestinal tract irritation with possible nausea, vomiting and diarrhea.

Information on toxicological effects

Basis for Assessment: Product has not been tested. Information given is based on data on individual components or similar materials. Samples of distillates (petroleum), solvent-dewaxed light paraffinic oils have been in acute oral, dermal and inhalation studies.

Acute Toxicity: Not classified as acutely toxic

Distillates (petroleum), solvent-dewaxed light paraffinic

Acute Inhalation Toxicity: Rat, LC50>5.53 mg/L, 4 hours

Acute Dermal Toxicity: Rabbit, LD50>2000 mg/kg

Acute Oral Toxicity: Rat, LD50>5000 mg/kg

Skin Corrosion/Irritation:	Slightly irritating to the skin. Heated material can cause thermal burns.
Eye irritation:	Non-irritating to the eyes. Heated material can cause thermal burns.
Skin sensitization:	No evidence of skin sensitization
Respiratory sensitization:	No data available.
Germ cell mutagenicity:	Not considered to be a germ cell mutagen.
Carcinogenicity:	The mineral oils in the product contain < 3% DMSO extract (IP 346). Not considered to be carcinogenic.
Reproductive toxicity:	Not considered to be toxic to the reproductive system.
Teratogenicity:	No teratogenic effects observed.
Aspiration hazard:	ASPIRATION HAZARD—Category 1
Specific target organ toxicity (single exposure):	Not available.
Specific target organ toxicity (repeated exposure):	Not available.

“Active Ingredient: Mineral Oil” stated on label required by USEPA-FIFRA in Revised Reregistration Eligibility Decision (RED) for Aliphatic Solvents. The specific CAS # and ingredient name listed above is the mineral oil in this product.

Section 12. Ecological information

Toxicity

Basis for Assessment: Product has not been tested. Information given is based on data on individual components or similar materials. Samples of distillates (petroleum), solvent-dewaxed light paraffinic oils have been tested in fish, invertebrates and algae.

Distillates (petroleum), solvent-dewaxed light paraffinic
Acute EC50 >100 mg/L, Algae, 72 hours
Acute EC50 >100 mg/L, Daphnia, 48 hours
Acute EC50 >100 mg/L, Fish, 96 hours

Persistence and degradability: Not readily biodegradable. Considered to be inherently biodegradable.

Bioaccumulative potential: Constituents of Other Lubricant Base Oils show measured or predicted values for log K_{ow} from 2 to ≥ 6 and are considered potentially bioaccumulative.

Mobility in soil: Not available.

Other adverse effects: No known significant effects or critical hazards.

“Active Ingredient: Mineral Oil” stated on label required by USEPA-FIFRA in Revised Reregistration Eligibility Decision (RED) for Aliphatic Solvents. The specific CAS # and ingredient name listed above is the mineral oil in this product.

Section 13. Disposal considerations

Disposal methods: Follow federal, state and local regulations. This material is not a RCRA hazardous waste, if not contaminated. If material has been “used”, RCRA criteria (ignitability, reactivity, corrosivity and toxicity) must be determined.

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe manner. Care should be taken when handling empty containers that have not been cleaned or rinsed out. Empty containers may retain some product residue. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains, and sewers.

Consult the label for additional information.

Section 14. Transport information

	DOT Classification	TDG Classification	Mexico Classification	ADR/RID	IMDG	IATA
UN number	Not regulated.	Not regulated.	Not regulated	Not regulated	Not regulated	Not regulated
UN proper shipping name	—	—	—	—	—	—
Transport hazard class(es)	—	—	—	—	—	—
Packing group	—	—	—	—	—	—
Environmental hazards	No	No	No	No	No	No
Additional information	—	—	—	—	—	—

Special precautions for user: **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Section 15. Regulatory information

U.S. Federal regulations

United States Toxic Substance Control Act (TSCA)

All components of this product are listed or exempted. This material is excluded from the US EPA TSCA Regulations. It is regulated under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA).

FIFRA Information for SDS Section 15 (Regulatory Information)

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets and for workplace labels for non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

CAUTION

Keep out of reach of children.

Harmful if absorbed through skin.

Avoid contact with eyes, skin or clothing.

Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

Contains Petroleum Distillates – vomiting may cause aspiration pneumonia.

Aspiration may occur after swallowing or vomiting and results in serious and sometimes delayed lung injury.

Clean Water Act (CWA) 307: toluene

Clean Water Act (CWA) 311: toluene

Superfund Amendments and Reauthorization Act (SARA)

EPCRA (SARA) Title III Section 313 Toxic Chemical Release Inventory (TRI)	This product does not contain any chemicals in excess of the applicable <i>de minimis</i> concentration that are subject to the reporting requirements of Section 313.	
EPCRA (SARA) Title III Section 302 Extremely Hazardous Substances Reporting Quantities	This product does not contain any chemicals listed under Section 302.	
EPCRA (SARA) Title III Section 311 Hazardous Classes	Immediate (acute) health hazard	Yes
	Delayed (chronic) health hazard	No
	Fire Hazard	No
	Sudden release of pressure hazard	No
	Reactive Hazard	No

Other Federal Regulations

Chemical Facility Anti-terrorism Standards (6 CFR 27), Appendix A, Chemicals of Interest: Not Listed

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act) 40 CFR 302.4: Not Regulated.

RCRA (Resource Conservation and Recovery Act) 40 CFR Part 261: Not Listed as RCRA hazardous waste as shipped.

State regulations

Illinois	This material is not listed.
Louisiana	This material is not listed.
Massachusetts	Listed as 8012-95-1 (Oil Mist, Mineral)
Michigan	This material is not listed.
Minnesota	Listed as 8012-95-1 (Oil Mist, Mineral)
New York	This material is not listed.
New Jersey	This material is listed as Mineral Oil (highly refined).
Pennsylvania	This material is listed as Mineral Oil Mist.
California Proposition 65	WARNING: This product contains less than 1% of a chemical known to the State of California to cause birth defects or other reproductive harm. Toluene: 7000 µg/day (ingestion) Toluene: 13000 µg/day (inhalation)

International regulations**International lists**

Australia Inventory (AICS)	This material is listed or exempted.
Canadian Domestic Substance List (DSL)	This material is listed or exempted.
Canadian Non-domestic Substances List (NDSL)	This material is not listed.
China inventory (IECSC)	This material is listed or exempted.

European EINECS Inventory	This material is listed or exempted.
European ELINCS Inventory	This material is not listed.
Japan Existing & New Chemical Substances (ENCS)	This material is listed or exempted.
Korea Existing Chemical Inventory (KECI)	This material is listed or exempted.
Korea Toxic Chemicals Control Law	This material is not listed.
Malaysia Inventory (EHS Register)	Not determined.
New Zealand Inventory of Chemicals (NZIoC)	This material is listed or exempted.
Philippines inventory (PICCS)	This material is listed or exempted.
Taiwan Inventory (CSNN)	This material is listed or exempted.
Turkey Inventory and Control of Chemicals (CICR)	Not determined.

“Active Ingredient: Mineral Oil” stated on label required by USEPA-FIFRA in Revised Reregistration Eligibility Decision (RED) for Aliphatic Solvents. The specific CAS # and ingredient name listed above is the mineral oil in this product.

Section 16. Other information

Hazard Ratings:

Key: 0 = least; 1 = slight; 2 = moderate; 3 = high; 4 = extreme

HMIS Rating: Health = 1; Fire = 1; Reactivity = 0

NFPA Rating: Health = 1; Fire = 1; Reactivity = 0

Date of issue/Date of revision:	05/06/2015
Date of previous issue:	04/15/2015
Version:	3
Key to abbreviations:	ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IMDG = International Maritime Dangerous Goods LogP _{ow} = logarithm of the octanol/water partition coefficient PBT = Persistent, Bioaccumulative and Toxic UN = United Nations vPvB = Very Persistent and very Bioaccumulative

DISCLAIMER: The information and recommendations contained within this document are, to the best of HollyFrontier Refining & Marketing LLC – Tulsa’s knowledge and belief, accurate and reliable as of the date issued. This information and recommendations are offered for the user’s consideration and examination. We extend no warranties and make no representations as to the accuracy or completeness of the information contained herein and assume no responsibility regarding suitability of this information for the users intended purpose or for the consequence of its use. It is the user’s responsibility to satisfy itself that the product is suitable for the intended use and ensure proper health, safety, and other necessary information is followed.