# Meth-O-Gas® Q



Version 2.0

Revision Date: 06/07/2022

SDS Number: 203000018552

Date of last issue: 11/20/2020 Country / Language: US / EN

# **SECTION 1. IDENTIFICATION**

Product name

Meth-O-Gas® Q

Product code

000000000058318537

EPA registration number

5785-41

# Manufacturer or supplier's details

Company

LANXESS Corporation

Product Safety & Regulatory Affairs

111 RIDC Park West Drive

Pittsburgh, Pennsylvania 15275-1112

Responsible Department

(800) LANXESS

(412) 809-1000

Emergency telephone

CHEMTREC (800) 424-9300 or

(703) 527-3887 (Outside U.S.A) and mention CCN12916.

Lanxess Emergency Phone (800) 410-3063.

# Recommended use of the chemical and restrictions on use

Recommended use

Fumigant

Restrictions on use

Restricted to professional users.

## **SECTION 2. HAZARDS IDENTIFICATION**

# GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Gases under pressure

Liquefied gas

Acute toxicity (Oral)

Category 3

Acute toxicity (Inhalation)

Category 3

Skin irritation

Category 2

Eve irritation

Category 2A

Germ cell mutagenicity

Specific target organ toxicity :

: Category 2

- single exposure

Category 3 (Respiratory system)

Print Date: 06/08/2022

# Meth-O-Gas® Q



Version 2.0

Revision Date: 06/07/2022

SDS Number: 203000018552

Date of last issue: 11/20/2020 Country / Language: US / EN

Specific target organ toxicity

repeated exposure

Category 2 (Central nervous system, muscle)

#### GHS label elements

Hazard pictograms









Signal Word

Danger

Hazard Statements

Contains gas under pressure; may explode if heated.

Toxic if swallowed or if inhaled.

Causes skin irritation.

Causes serious eye irritation. May cause respiratory irritation. Suspected of causing genetic defects.

May cause damage to organs (Central nervous system, muscle)

through prolonged or repeated exposure.

Precautionary Statements

#### Prevention:

Obtain special instructions before use.

Do not handle until all safety precautions have been read and

understood

Do not breathe gas.

Wash skin thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/ protective clothing/ eye protection/ face

protection.

#### Response:

IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

Rinse mouth.

IF ON SKIN: Wash with plenty of soap and water.

IF INHALED: Remove person to fresh air and keep comfortable

for breathing. Call a POISON CENTER/ doctor.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsina.

IF exposed or concerned: Get medical advice/ attention. If skin irritation occurs: Get medical advice/ attention. If eye irritation persists: Get medical advice/ attention. Take off contaminated clothing and wash before reuse.

#### Storage:

Store in a well-ventilated place. Keep container tightly closed. Store locked up.

# Meth-O-Gas® Q



Version 2.0

Revision Date: 06/07/2022

SDS Number: 203000018552

Date of last issue: 11/20/2020 Country / Language: US / EN

Protect from sunlight. Store in a well-ventilated place.

Disposal:

Dispose of contents/ container to an approved waste disposal

plant.

Other hazards

None known.

# SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

Substance

Substance name

: methyl bromide

#### Components

Concentration (% w/w)
>= 90 - <= 100

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

#### **SECTION 4. FIRST AID MEASURES**

If inhaled

Remove victim to fresh air and keep at rest in a position com-

fortable for breathing.

If not breathing, give artificial respiration.

Call a physician or poison control center immediately.

If breathing is difficult, give oxygen.

Keep respiratory tract clear.

In case of skin contact

Take off contaminated clothing and shoes immediately:

Wash off with soap and plenty of water. If symptoms persist, call a physician.

Call a physician or poison control center immediately.

In case of eye contact

Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes.

If eye irritation persists, consult a specialist.

If swallowed

Call a physician or poison control center immediately.

Rinse mouth with water.

If victim is fully conscious, give a cupful of water.

DO NOT induce vomiting unless directed to do so by a physi-

cian or poison control center.

Never give anything by mouth to an unconscious person.

Do not give milk or alcoholic beverages.

Most important symptoms and effects, both acute and delayed

Print Date: 06/08/2022

# Meth-O-Gas® Q



Version 2.0

Revision Date: 06/07/2022

SDS Number: 203000018552

Date of last issue: 11/20/2020 Country / Language: US / EN

Symptoms

Symptoms may be delayed.

Dizziness Blurred vision Weakness Staggering gait Nausea Vomiting

Loss of appetite

Effects of breathing high concentrations of vapor may in-

clude: Convulsions Lung edema

Lack of coordination

Fatique

corrosive effects

Inhalation may provoke the following symptoms:

Nausea Vomitina

Unconsciousness

Eye: Causes irritation with symptoms of reddening, tearing,

stinging, and swelling.

Skin: Causes irritation with symptoms of reddening, itching,

and swelling.

Ingestion may cause gastrointestinal irritation, nausea, vomit-

ing and diarrhea.

**Effects** 

Toxic if swallowed or if inhaled.

Causes skin irritation.

Causes serious eve irritation. May cause respiratory irritation. Suspected of causing genetic defects.

May cause damage to organs through prolonged or repeated

exposure.

Protection of first-aiders

First Aid responders should pay attention to self-protection

and use the recommended protective clothing

If potential for exposure exists refer to Section 8 for specific

personal protective equipment.

Notes to physician

For specialist advice physicians should contact the Poisons

Information Service.

For specialist advice physicians should contact the Poisons

Information Service.

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media :

Use water spray, alcohol-resistant foam, dry chemical or car-

bon dioxide.

4/18

# Meth-O-Gas® Q



Version 2.0

Revision Date: 06/07/2022

SDS Number: 203000018552

Date of last issue: 11/20/2020 Country / Language: US / EN

Unsuitable extinguishing

media

None known.

Specific hazards during fire

fighting

Toxic and irritating gases/fumes may be given off during burn-

ing or thermal decomposition.
Container may explode if heated.

Non-flammable in concentrated form. Methyl bromide is ignitable by a high energy spark at the flammability limits listed in

Section 9.

Hazardous combustion prod- :

ucts

Carbon dioxide (CO2) Carbon monoxide

Halogenated compounds

Further information

In the event of fire, wear self-contained breathing apparatus.

Wear personal protective equipment.

Special protective equipment

for fire-fighters

Wear full protective clothing and self-contained breathing ap-

paratus.

# SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- :

tive equipment and emer-

gency procedures

Use personal protective equipment.

Ensure adequate ventilation.
Remove all sources of ignition.
Evacuate personnel to safe areas.

Beware of vapors accumulating to form explosive concentra-

tions. Vapors can accumulate in low areas. Material can create slippery conditions.

Environmental precautions

Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Avoid release to the environment.

The product should not be allowed to enter drains, water

courses or the soil.

Methods and materials for

containment and cleaning up

Allow to evaporate.

# **SECTION 7. HANDLING AND STORAGE**

Advice on protection against :

fire and explosion

Use explosion-proof equipment.

Keep away from sources of ignition - No smoking.

Advice on safe handling

Do not breathe vapors or spray mist.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes.

5 / 18

# Meth-O-Gas® Q



Version 2.0

Revision Date: 06/07/2022

SDS Number: 203000018552

Date of last issue: 11/20/2020 Country / Language: US / EN

For personal protection see section 8. No special handling advice required.

Do not smoke.

Take precautionary measures against static discharges. Open drum carefully as content may be under pressure. Dispose of rinse water in accordance with local and national

regulations.

Conditions for safe storage

Keep container tightly closed.

Keep in a dry, cool and well-ventilated place.

Store in upright position only.

Store locked up.

Prevent unauthorized access.

No smoking.

Electrical installations / working materials must comply with

the technological safety standards.

Further information on stor-

age stability

Stable under recommended storage conditions.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Methyl Bromide	74-83-9	TWA	1 ppm	ACGIH
5		С	20 ppm 80 mg/m3	OSHA Z-1

Engineering measures

Use local ventilation to keep levels below established thresh-

old values.

Adequate general ventilation is recommended when handling

to control airborne levels.

Do not use in areas without adequate ventilation. Use mechanical ventilation for general area control.

## Personal protective equipment

Respiratory protection

If the concentration of methyl bromide as measured by detec-

tor tube exceeds 5 ppm at any time, all persons must wear

NIOSH/MSHA approved SCBA.

A respiratory protection program that meets OSHA 1910.134 and ANSI Z88.2 requirements must be followed whenever

workplace conditions warrant a respirator's use.

Hand protection

6/18

# Meth-O-Gas® Q



Version 2.0

Revision Date: 06/07/2022

SDS Number 203000018552 Date of last issue: 11/20/2020 Country / Language: US / EN

Remarks

Before removing gloves clean them with soap and water. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. Request information on glove permeation properties from the glove supplier.

Eye protection

Full face shield or safety glasses with brow and temple

shields. Do NOT wear goggles.

Skin and body protection

Loose-fitting or well ventilated long-sleeved shirt and long pants and shoes\* and socks. Do NOT wear jewelry, tight clothing, rubber protective clothing or rubber boots when

For personal hygiene purposes, use adequate clothing to

prevent skin contact.

Protective measures

These recommendations apply to the product as supplied. Please follow all applicable local/national requirements when selecting protective measures for a specific workplace.

Hygiene measures

Use the appropriate detector tubes and pumps for determin-

ing methyl bromide air concentrations.

Make sure piping is empty before doing maintenance work. All persons working with methyl bromide should be trained in the hazards, use of required respirator equipment, emergency procedures and in the proper use of methyl bromide as a

fumigant where applicable.

# SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

compressed liquefied gas

Physical state

gaseous

Color

colorless

Odor

odorless

Odor Threshold

No data available

рН

Not applicable

Melting point/freezing point

No data available

Boiling point/boiling range

38.5 °F / 3.6 °C

Print Date: 06/08/2022

# Meth-O-Gas® Q



Version 2.0

Revision Date: 06/07/2022

SDS Number: 203000018552

Date of last issue: 11/20/2020 Country / Language: US / EN

Flash point

: Not applicable

Evaporation rate

Not applicable

Flammability (solid, gas)

The product is not flammable.

Remarks: Not classified due to lack of data.

Self-ignition

No data available

Burning number

No data available

Upper explosion limit / Upper

flammability limit

15 %(V)

Lower explosion limit / Lower :

flammability limit

10 %(V)

Vapor pressure

1,866.5 hPa (68 °F / 20 °C)

3,466.4 hPa (104 °F / 40 °C)

Relative vapor density

3.27

Relative density

1.7 (32 °F / 0 °C)

Density

No data available

Solubility(ies)

Water solubility

17.5 g/l (68 °F / 20 °C)

Solubility in other solvents

No data available

Partition coefficient: n-

octanol/water

No data available

Decomposition temperature

No data available

Self-Accelerating decomposi- :

tion temperature (SADT)

No data available

Viscosity

Viscosity, dynamic

Not applicable

Viscosity, kinematic

Not applicable

Explosive properties

No data available

Oxidizing properties

No data available

Dust explosion class

No data available

Print Date: 06/08/2022

# Meth-O-Gas® Q



Version 2.0

Revision Date: 06/07/2022

SDS Number: 203000018552

Date of last issue: 11/20/2020 Country / Language: US / EN

Metal corrosion rate

No data available

# SECTION 10. STABILITY AND REACTIVITY

Reactivity

Stable under recommended storage conditions.

Chemical stability

No decomposition if stored and applied as directed.

Possibility of hazardous reactions

- :

Stable under recommended storage conditions.

No decomposition if used as directed.

Conditions to avoid

Heat, flames and sparks.

Extremes of temperature and direct sunlight.

Incompatible materials

Aluminum

Zinc

Alkali metals Strong bases

Hazardous decomposition

products

Carbon dioxide (CO2)

Carbon monoxide Hydrogen halides

# **SECTION 11. TOXICOLOGICAL INFORMATION**

The most important known symptoms and effects are described in Section 2 and/or Section 4.

#### Acute toxicity

Toxic if swallowed or if inhaled.

#### Product:

Acute oral toxicity

: Acute toxicity estimate: 104 mg/kg

Method: Calculation method

Acute inhalation toxicity

Acute toxicity estimate: 700 ppm

Exposure time: 4 h
Test atmosphere: gas
Method: Calculation method

#### Components:

#### Methyl Bromide:

Acute oral toxicity

: LD50 (Rat): 214 mg/kg

LD50 (Rat): 104 mg/kg

Acute inhalation toxicity

Assessment: The component/mixture is toxic after short term

Print Date: 06/08/2022

# Meth-O-Gas® Q



Version 2.0

Revision Date: 06/07/2022

SDS Number: 203000018552

Date of last issue: 11/20/2020 Country / Language: US / EN

inhalation.

Skin corrosion/irritation

Causes skin irritation.

Components:

Methyl Bromide:

Result

Irritating to skin.

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

Methyl Bromide:

Result

Irritating to eyes.

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Suspected of causing genetic defects.

Components:

Methyl Bromide:

Germ cell mutagenicity -

: In vitro tests showed mutagenic effects

Assessment

Carcinogenicity

Not classified based on available information.

IARC

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA** 

No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP

No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

# Meth-O-Gas® Q



Version 2.0

Revision Date: 06/07/2022

SDS Number: 203000018552

Date of last issue: 11/20/2020 Country / Language: US / EN

# STOT-single exposure

May cause respiratory irritation.

#### Components:

#### Methyl Bromide:

Assessment

May cause respiratory irritation.

# STOT-repeated exposure

May cause damage to organs (Central nervous system, muscle) through prolonged or repeated exposure.

## Components:

#### Methyl Bromide:

Target Organs

: Central nervous system, muscle

Assessment

May cause damage to organs through prolonged or repeated

exposure.

#### Aspiration toxicity

Not classified based on available information.

#### Further information

#### Product:

Remarks

Methyl bromide is a poison and can cause respiratory distress, cardiac arrest and central nervous system effects. Overexposure may cause neurotoxic effects from which recovery may be slow.

Methyl bromide demonstrates genotoxicity in several test systems at levels above the TLV.

In a two year inhalation cancer bioassay with rats at 3, 30 and 90 ppm no tumors were observed.

In a two generation inhalation reproduction study with rats at 3, 30 and 90 ppm the no observed effect level was 3 ppm. At the higher doses organ weight variation was observed in some offspring.

In a 24 month chronic dietary study in rats, a no observable effect level (NOEL) for systemic toxicity of microencapsulated methyl bromide was considered to be 50 ppm (equivalent to 2.20 mg/kg/day for males and 2.92 mg/kg/day for females). The low observable effect level (LOEL) was considered to be 250 ppm (equivalent to 11.10 mg/kg/day for males and 15.12 mg/kg/day for females) based on reduced food consumption, body weight gains and body weights noted during the first 12 to 18 months of the study. Methyl bromide was not oncogenic

# Meth-O-Gas® Q



Version 2.0

Revision Date: 06/07/2022

SDS Number: 203000018552

Date of last issue: 11/20/2020 Country / Language: US / EN

upon dietary administration for two years.

In a two year inhalation study in B6C3FI mice, exposed to levels of 0, 10, 33 or 100 ppm for 6 hours per day, 5 days per week, degenerative changes in the cerebellum and cerebrum, myocardial degeneration and cardiomyopathy, sternal dysplasia, and olfactory epithelial necrosis and metaplasia were observed. There was no evidence of carcinogenic activity.

In an EPA/NIH sponsored epidemiology study entitled Agricultural Health Study, pesticides were evaluated based on cancer related deaths and questionnaire results provided by farmers, nursery workers and commercial pesticide applicators in Iowa and North Carolina. Results associated methyl bromide with an increase in prostate cancer risk in pesticide applicators. Exposures to methyl bromide were not confirmed. Incidence and intensity estimations were based solely on self-reporting via a questionnaire. Although the interpretation of the data collected in the study led to a statistically significant increase in prostate cancer risk for methyl bromide applicators, the authors could not rule out the possibility that the observations may have occurred by chance alone and findings need to be confirmed.

#### **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity** 

Components:

Methyl Bromide:

Toxicity to fish

LC50 (Poecilia reticulata (guppy)): 0.8 mg/l

Exposure time: 96 h

LC50 (Lepomis macrochirus (Bluegill sunfish)): 4.18 mg/l

Exposure time: 96 h

LC50 (Menidia beryllina (Silverside)): 12 mg/l

Exposure time: 96 h

LC50 (Cyprinus carpio (Carp)): 17 mg/l

Exposure time: 4 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50: 2 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

IC50: 3.2 mg/l

Exposure time: 48 h

# Meth-O-Gas® Q



Version 2.0

Revision Date: 06/07/2022

SDS Number 203000018552 Date of last issue: 11/20/2020 Country / Language: US / EN

# Persistence and degradability

No data available

Bioaccumulative potential

#### Components:

#### Methyl Bromide:

Partition coefficient: noctanol/water

log Pow: ca. 1.99 (77 °F / 25 °C)

Mobility in soil

No data available

Other adverse effects

#### Product:

Additional ecological information

Do not contaminate water with the product or its container (Do not clean application equipment near surface water/Avoid contamination via drains from farmyards and roads).

Toxic to aquatic organisms.

Toxic to terrestrial vertebrates. Toxic to terrestrial invertebrates

#### Components:

#### Methyl Bromide:

Ozone-Depletion Potential

Regulation: UNEP - Handbook for the Montreal Protocol on Substances that Deplete the Ozone Layer (Update: 2009-10-

Group: Annex E - Group I: Methyl bromide

#### SECTION 13. DISPOSAL CONSIDERATIONS

## Disposal methods

RCRA - Resource Conserva- : tion and Recovery Authorization Act

If discarded in its purchased form, this product would not be a hazardous waste either by listing or by characteristic. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classi-

fied as a hazardous waste. (40 CFR 261.20-24)

Waste from residues

Dispose of wastes in an approved waste disposal facility. The product should not be allowed to enter drains, water

courses or the soil.

In accordance with local and national regulations.

Do not dispose of waste into sewer.

Print Date: 06/08/2022

# Meth-O-Gas® Q



Version 2.0

Revision Date: 06/07/2022

SDS Number: 203000018552 Date of last issue: 11/20/2020 Country / Language: US / EN

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Contaminated packaging

Dispose of as unused product.

Empty pressure vessels should be returned to the supplier.

Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty drum.

#### **SECTION 14. TRANSPORT INFORMATION**

#### International Regulations

IATA-DGR

Not permitted for transport

**IMDG-Code** 

**UN** number

Proper shipping name

UN 1062

METHYL BROMIDE

Class

2.3

Packing group

Not assigned by regulation

Labels

2.3



EmS Code

Marine pollutant

F-C, S-U

yes

# Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### Domestic regulation

49 CFR

UN/ID/NA number

UN 1062

Proper shipping name

Methyl bromide

Class

2.3

Packing group

Not assigned by regulation

Labels

2.3

# Meth-O-Gas® Q



Version 2.0

Revision Date: 06/07/2022

SDS Number: 203000018552

Date of last issue: 11/20/2020 Country / Language: US / EN

INHALATION HAZARD 2

**ERG** Code

RQ

123

Note

1,000 lb Poison Inhalation Hazard - Hazard Zone C

Marine pollutant

VAS



The U.S. DOT regulations in Appendix B to 49 CFR § 172.101, paragraph 4 permit this material to ship as marine pollutant.

Hazard and Handling Notes.

Toxic., Keep well ventilated., Keep separated from foodstuffs

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### **SECTION 15. REGULATORY INFORMATION**

## **CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
Methyl Bromide	74-83-9	1000	1000

## SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

Components	CAS-No.	Component TPQ (lbs)	
Methyl Bromide	74-83-9	1000	

SARA 311/312 Hazards

Gases under pressure

Acute toxicity (any route of exposure)

Germ cell mutagenicity

Specific target organ toxicity (single or repeated exposure)

Skin corrosion or irritation

Serious eye damage or eye irritation

**SARA 313** 

The following components are subject to reporting levels es-

tablished by SARA Title III, Section 313:

Methyl Bromide 7

74-83-9

>= 90 - <= 100 %

# Meth-O-Gas® Q



Version 2.0

Revision Date: 06/07/2022

SDS Number: 203000018552

Date of last issue: 11/20/2020 Country / Language: US / EN

**US State Regulations** 

Massachusetts Right To Know

Methyl Bromide

74-83-9

90 - 100

Pennsylvania Right To Know

Methyl Bromide

74-83-9

90 - 100

California Prop. 65

WARNING: This product can expose you to chemicals including Methyl Bromide, Methyl Chloride, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

**TSCA** inventory

**TSCA** 

This product is regulated under the United States Federal

Insecticide, Fungicide and Rodenticide Act (FIFRA).

**TSCA list** 

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

FIFRA information

LANXESS Corporation doing business as Great Lakes Chemical Corporation

EPA registration number

: 5785-41

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Signal Word

DANGER

Hazard Statements

Extremely hazardous liquid and vapor under pressure. Inhalation may be fatal or cause serious acute illness or delayed lung or nervous system injury which may have a delayed onset. This product contains chloropicrin which is very irritating to the upper respiratory tract, and even at low levels can cause painful irritation to the nose, throat, and eyes, producing tearing. Continued exposure after irritation, or higher concentrations, may cause painful irritation to the eyes or temporary blindness which may cause panic that may in turn lead to

further accidents.

Print Date: 06/08/2022

# Meth-O-Gas® Q



Version 2.0

Revision Date: 06/07/2022


SDS Number: 203000018552

Date of last issue: 11/20/2020 Country / Language: US / EN

# **SECTION 16. OTHER INFORMATION**


#### Further information

#### NFPA 704:



Special hazard

#### HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

#### Full text of other abbreviations

ACGIH

USA. ACGIH Threshold Limit Values (TLV)

OSHA Z-1

USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-

its for Air Contaminants

ACGIH / TWA

8-hour, time-weighted average

OSHA Z-1 / C

: Ceiling

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk, IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Associa-

# Meth-O-Gas® Q



Version 2.0

Revision Date: 06/07/2022

SDS Number: 203000018552

Date of last issue: 11/20/2020 Country / Language: US / EN

tion; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date

06/07/2022

The data contained in this Safety Data Sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered to be a guidance for processing and does not contain any warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. It is the responsibility of the recipient of the product to ensure that any proprietary rights and existing laws and legislation are observed.