#### Issuing Date 21-May-2015

Revision Date 29-May-2015

SAFETY DATA SHEET Revision Number 3EV

ભ

The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name	ProVerde™ Wasp & Hornet Killer	
Other means of identification		
Synonyms	None	
Recommended use of the chemica	I and restrictions on use	
Recommended Use	Insecticide - Wasp & Hornet - Aerosol	
Uses advised against	No information available	
Details of the supplier of the safety data sheet		
Supplier Name	Envance Technologies, LLC	
Supplier Address	5151 McCrimmon Pkwy., Suite 275 Morrisville North Carolina 27560, US	
Supplier Phone Number	Phone:855-217-5247 Fax:919-415-2490	
Supplier Email	msdsinfo@envancetech.com	
Emergency telephone number	CHEMTREC 800-424-9300	

# 2. HAZARDS IDENTIFICATION


### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin sensitization	Category 1
Flammable Aerosols	Category 1
Gases under pressure	Compressed gas



#### GHS Label elements, including precautionary statements



#### **Precautionary Statements - Prevention**

Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing should not be allowed out of the workplace Wear protective gloves Keep away from heat/sparks/open flames/hot surfaces. - No smoking Pressurized container: Do not pierce or burn, even after use Do not spray on an open flame or other ignition source

#### **Precautionary Statements - Response**

Specific treatment (see supplemental first aid instructions on this label)

#### Skin

IF ON SKIN: Wash with plenty of soap and water If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse

#### **Precautionary Statements - Storage**

Protect from sunlight. Store in a well-ventilated place Do not expose to temperatures exceeding 122°F (50°C)

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Not applicable

#### Unknown Toxicity

3.8 % of the mixture consists of ingredient(s) of unknown toxicity

#### **Other information**

Repeated or prolonged skin contact may cause allergic reactions with susceptible persons



#### PROLONGED OR REPEATED CONTACT MAY DRY SKIN AND CAUSE IRRITATION

#### Interactions with Other Chemicals

No information available.

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS No	Weight-%	Trade Secret
White mineral oil (petroleum)	Proprietary	60 - 100	*
Carbon Dioxide	124-38-9	1 - 5	*
Supplier Trade Secret	Proprietary	1 - 5	*
Geraniol	Proprietary	0.1 - 1	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret

# 4. FIRST AID MEASURES

### First aid measures

General Advice	Show this safety data sheet to the doctor in attendance.	
Eye Contact	Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist, call a physician.	
Skin Contact	In case of contact with liquefied gas, thaw frosted parts with lukewarm water.	
Inhalation	Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, (trained personnel should) give oxygen.	
Ingestion	Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person.	
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.	
Most important symptoms and effects, both acute and delayed		

Most Important Symptoms and Itching. Rashes. Hives. Effects

Indication of any immediate medical attention and special treatment needed

**Notes to Physician** May cause sensitization of susceptible persons. Treat symptomatically.



# **5. FIRE-FIGHTING MEASURES**

#### Suitable Extinguishing Media

Dry chemical. Carbon dioxide (CO2).

#### Unsuitable extinguishing media

DO NOT EXTINGUISH A LEAKING GAS FIRE UNLESS LEAK CAN BE STOPPED.

## Specific Hazards Arising from the Chemical

Some may burn but none ignite readily. Ruptured cylinders may rocket.

Uniform Fire Code	Sensitizer: Liquid Aerosols: Level III
Hazardous Combustion Products Carbon oxides.	
Explosion Data	

# Sensitivity to Mechanical Impact Yes.

Sensitivity to Static Discharge Yes.

#### Protective equipment and precautions for firefighters

Move containers from fire area if you can do it without risk. Damaged cylinders should be handled only by specialists.

# 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal Precautions	Stop leak if you can do it without risk.	
Other Information	Ventilate the area.	
Environmental Precautions		
Environmental Precautions	Prevent entry into waterways, sewers, basements or confined areas.	
Methods and material for containment and cleaning up		
Methods for Containment	If possible, turn leaking containers so that gas escapes rather than liquid. Allow substance to evaporate.	
Methods for cleaning up	Do not direct water at spill or source of leak.	

# 7. HANDLING AND STORAGE

#### Precautions for safe handling

Handling	Handle in accordance with good industrial hygiene and safety practice. Avoid breathing vapors or mists. Contents under pressure. Do not puncture or incinerate cans. Keep away from open flames, hot surfaces and sources of ignition. Avoid contact with eyes.	
Conditions for safe storage, including any incompatibilities		
Storage	Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from sunlight. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations.	
Incompatible Products	Strong oxidizing agents. Acids. Chlorinated compounds.	

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Control parameters**

#### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
White mineral oil (petroleum)	TWA: 5 mg/m <sup>3</sup> inhalable fraction	TWA: 5 mg/m <sup>3</sup>	IDLH: 2500 mg/m <sup>3</sup>
	excluding metal working fluids,	(vacated) TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>
	highly & severely refined		STEL: 10 mg/m <sup>3</sup>
Carbon Dioxide	STEL = 30000 ppm	TWA: 5000 ppm	IDLH: 40000 ppm
124-38-9	TWA: 5000 ppm	TWA: 9000 mg/m <sup>3</sup>	TWA: 5000 ppm
		(vacated) TWA: 10000 ppm	TWA: 9000 mg/m <sup>3</sup>
		(vacated) TWA: 18000 mg/m <sup>3</sup>	STEL: 30000 ppm
		(vacated) STEL: 30000 ppm	STEL: 54000 mg/m <sup>3</sup>
		(vacated) STEL: 54000 mg/m <sup>3</sup>	
Supplier Trade Secret	STEL: 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm 10% LEL
	TWA: 200 ppm	TWA: 980 mg/m <sup>3</sup>	TWA: 980 mg/m <sup>3</sup>
		(vacated) TWA: 400 ppm	TWA: 400 ppm
		(vacated) TWA: 980 mg/m <sup>3</sup>	STEL: 500 ppm
		(vacated) STEL: 500 ppm	STEL: 1225 mg/m <sup>3</sup>
		(vacated) STEL: 1225 mg/m <sup>3</sup>	

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits Immediately Dangerous to Life or Health

**Other Exposure Guidelines** 

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992) See section 15 for national exposure control parameters

Appropriate engineering controls

Engineering Measures

Showers Eyewash stations Ventilation systems



### Individual protection measures, such as personal protective equipment

Eye/Face Protection	Tight sealing safety goggles.
Skin and Body Protection	<b>No protective equipment is needed under normal use conditions.</b> Wear protective gloves and protective clothing. Long sleeved clothing. Chemical resistant apron. Impervious gloves. Antistatic boots.
Respiratory Protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

### **Physical and Chemical Properties**

Physical State Appearance Color	Liquid spray, Aerosol Clear, colorless No information available	Odor Odor Threshold	Floral No information available
Property pH Melting / freezing point Boiling point / boiling range Flash Point Evaporation Rate Flammability (solid, gas) Flammability Limit in Air Upper flammability limit	Values UNKNOWN No data available No data available No data available No data available No data available No data available	Remarks Method None known None known None known None known None known	
Lower flammability limit Vapor pressure Vapor density Specific Gravity Water Solubility Solubility in other solvents Partition coefficient: n-octanol/water Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity Explosive properties Oxidizing Properties	No data available No data available No data available No data available Very slight No data available er No data available No data available	None known None known None known None known None known None known None known None known	
Other Information Softening Point VOC Content (%) Particle Size Particle Size Distribution	No data available No data available No data available		



# **10. STABILITY AND REACTIVITY**

#### **Reactivity**

No data available.

<u>Chemical stability</u> Stable under recommended storage conditions. <u>Possibility of Hazardous Reactions</u> None under normal processing. <u>Hazardous Polymerization</u> Hazardous polymerization does not occur.

Conditions to avoid Heat, flames and sparks. Excessive heat. Incompatible materials Strong oxidizing agents. Acids. Chlorinated compounds. Hazardous Decomposition Products Carbon oxides.

# **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Inhalation	Specific test data for the substance or mixture is not available.
Eye Contact	Specific test data for the substance or mixture is not available.
Skin Contact	Specific test data for the substance or mixture is not available.
Ingestion	Specific test data for the substance or mixture is not available.

#### **Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
White mineral oil (petroleum)	> 5000 mg/kg (Rat)	> 2000 mg/Kg (Rabbit)	> 5 mg/l (Rat) 4 h
Supplier Trade Secret	= 4396 mg/kg (Rat)	= 12800 mg/kg (Rabbit)	= 16000 ppm (Rat)8 h
Geraniol	= 3600 mg/kg (Rat)	> 5 g/kg (Rabbit)	-

#### Information on toxicological effects

Symptoms

Itching. Rashes. Hives.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	May cause sensitization of susceptible persons. May cause sensitization by skin contact.
Mutagenic Effects	No information available.



#### Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Supplier Trade Secret		Group 3		Х

IARC (International Agency for Research on Cancer)

Group 3 - Not Classifiable as to Carcinogenicity in Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive Toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Chronic Toxicity	No known effect based on information supplied.
Target Organ Effects	Skin. Central Vascular System (CVS). Eyes. Respiratory system. Blood. Kidney. Liver. Spleen. Systemic Toxicity.
Aspiration Hazard	No information available.

#### Numerical measures of toxicity Product Information

#### The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 10,048.00 mg/kg ATEmix (dermal) 29,257.00 mg/kg (ATE) ATEmix (inhalation-vapor) 127.11 ATEmix



# **12. ECOLOGICAL INFORMATION**

### **Ecotoxicity**

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
White mineral oil (petroleum)		96h LC50: > 10000 mg/L (Lepomis macrochirus)		48h LC50 > 100 mg/L
	96h EC50: > 1000 mg/L (Desmodesmus subspicatus) 72h EC50: > 1000 mg/L (Desmodesmus subspicatus)	LC50: = 11130 mg/L		48h EC50: = 13299 mg/L

#### Persistence and Degradability

No information available.

#### Bioaccumulation

Chemical Name	Log Pow
White mineral oil (petroleum)	6
Supplier Trade Secret	0.05

### Other adverse effects

No information available.

# **13. DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

Disposal methods	This material, as supplied, is a hazardous waste according to federal regulations (40 CFR 261).
Contaminated Packaging	Dispose of contents/containers in accordance with local regulations.
US EPA Waste Number	D001

#### California Hazardous Waste Codes 232

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste
Supplier Trade Secret	Toxic
	Ignitable



# 14. TRANSPORT INFORMATION

CONSUMER COMMODITY ORM-D CONSUMER COMMODITY, ORM-D 126
UN1950 AEROSOLS 2.1 UN1950, AEROSOLS, 2.1
UN1950 AEROSOLS 2.1 UN1950 AEROSOLS, 2.1
UN1950 AEROSOLS 2.1 UN1950, AEROSOLS, 2.1
UN1950 AEROSOLS, FLAMMABLE 2.1 UN1950, AEROSOLS, FLAMMABLE, 2.1
UN1950 AEROSOLS 2.1 F-D, S-U UN1950, AEROSOLS, 2.1
UN1950 AEROSOLS 2.1 5F UN1950 AEROSOLS, 2.1
UN1950 AEROSOLS 2.1 5F UN1950 AEROSOLS, 2.1



Ս

UN-No.	UN1950
Proper Shipping Name	AEROSOLS
Hazard Class	2.1
Classification code	5F
Special Provisions	190, 327, 344, 625
Description	UN1950 AEROSOLS, 2.1
Hazard Labels	2.1
Limited Quantity	1 L
Ventilation	VE01, VE04

# **15. REGULATORY INFORMATION**

### International Inventories

TSCA DSL Complies All components are listed either on the DSL or NDSL.

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

### US Federal Regulations

#### Minimum Risk Pesticides FIFRA 25(b)

This product is defined as a "Minimum Risk Pesticide" by the EPA and is exempt from Federal (EPA) registration requirements.

The basis for the exemption is the FIFRA 25(b) criteria. <u>The active and the inert ingredients are listed as "demonstrably safe</u> for the intended use".

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Supplier Trade Secret -		1 - 5	1.0
SARA 311/312 Hazard Categories			
Acute Health Hazard	Yes		
Chronic Health Hazard	No		
Fire Hazard	Yes		
Sudden release of pressure hazard	Yes		
Reactive Hazard	No		

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

### US State Regulations

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

#### U.S. State Right-to-Know Regulations

				Illinois
Х	Х	Х		-
Х	Х	Х	Х	
	x X	X X X X	x x x	x x x   x x x

#### International Regulations

### Mexico

### National occupational exposure limits

Component	Carcinogen Status	Exposure Limits
White mineral oil (petroleum)		Mexico: TWA 5 mg/m <sup>3</sup>
(60 - 100)		Mexico: STEL 10 mg/m <sup>3</sup>
Carbon Dioxide	-	Mexico: TWA= 5000 ppm
124-38-9(1-5)		Mexico: TWA= 9000 mg/m <sup>3</sup>
		Mexico: STEL= 15000 ppm
		Mexico: STEL= 27000 mg/m <sup>3</sup>
Supplier Trade Secret		Mexico: TWA 400 ppm
(1-5)		Mexico: TWA 980 mg/m <sup>3</sup>
		Mexico: STEL 500 ppm
		Mexico: STEL 1225 mg/m <sup>3</sup>

Mexico - Occupational Exposure Limits - Carcinogens

# **16. OTHER INFORMATION**

NFPA	Health Hazards 2	Flammability	4 Instability 0		Physical and Chemical Hazards -	
HMIS	Health Hazards 2	Flammability	4 Physical Hazar	<b>d</b> 0	Personal Protection X	
Prepared By	Product Stewardship 23 British American Blvd. Latham, NY 12110 1-800-572-6501					
Issuing Date	21-May-2015					
Revision Date	29-May-2015					
Revision Note	No inform	ation available				

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

