

# SAFETY DATA SHEET

according to 29 CFR 1910.1200 and GHS

**Page** 1/8

# SureKill® CT-511®

Revision 1
Revision date 2018-10-08

	Revision date 2018-10-08
SECTION 1: Identification of	the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	SureKill® CT-511®
Product code	0731011
1.2. Relevant identified uses of t	he substance or mixture and uses advised against
Product Use	[SU3] Industrial uses: Uses of substances as such or in preparations at industrial sites; [PC8]
	Biocidal products (e.g. Disinfectants, pest control);
Description	Aerosol insecticide.
1.3. Details of the supplier of the	safety data sheet
Company	Neogen Corporation
Address	620 Lesher Place
	Lansing MI 48912
	USA
Web	www.neogen.com
Telephone	517-372-9200/800-234-5333
Email	regulatorysupport@neogen.com
1.4. Emergency telephone numb	per
Emergency telephone number	1-800-234-5333
Further information	
Manufactured By:	Chem-Tech Ltd.
•	1006 Business Highway 5
	Pleasantville, IA 50225 U.S.A.
	Chem-Tech Ltd. is a wholly-owned subsidiary of Neogen Corporation.
Hotline(s):	Medical: United States (1-800-498-5743), International (1-651-523-0318).
	Spill/CHEMTREC: United States (1-800-424-9300), International (1-703-527-3887).
SECTION 2: Hazards identifi	ication
2.1. Classification of the substar	nce or mixture
2.1.2. Classification - GHS	Flam. Gas 1: H220; Aerosol 1, 2, 3: H229; Skin Sens. 1: H317; STOT SE 3: H336; Aquatic Chronic

2.1.2. Classification - GHS	Flam. Gas 1: H220; Aerosol 1, 2, 3: H229; Skin Sens. 1: H317; STOT SE 3: H336; Aquatic Chronic
	3: H412;

### 2.2. Label elements

Revision 1 Revision date 2018-10-08

#### 2.2. Label elements

Hazard pictograms	
Signal Word	Danger
Hazard Statement	Flam. Gas 1: H220 - Extremely flammable gas.
	Aerosols, 1, 2, 3: H229 - Pressurised container: May burst if heated.
	Skin Sens. 1: H317 - May cause an allergic skin reaction.
	STOT SE 3: H336 - May cause drowsiness or dizziness.
	Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.
Precautionary Statement:	P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No
Prevention	smoking.
	P251 - Do not pierce or burn, even after use.
Precautionary Statement:	P302+P352 - IF ON SKIN: Wash with plenty of water/ .
Response	P321 - Specific treatment (see on this label).
	P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
Precautionary Statement:	P412 - Do not expose to temperatures exceeding 50°C/ 122°F.
Storage	

# SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

### EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
n-Octyl bicycloheptene dicarboximide.		113-48-4			1 - 10%	Skin Sens. 1: H317; Eye Irrit. 2B: H320; Acute Tox. 4:
dicarsoximus.						H332; Aquatic Acute 2: H401;
152A Aerosol propellant		75-37-6			60 - 70%	Aquatic Chronic 2: H411; Liquified gas: H280;
Distillates (petroleum), hydrotreated light.		64742-47-8			30 - 40%	Asp. Tox. 1: H304; STOT SE 3: H336;
Piperonyl butoxide		51-03-6	200-076-7		0.5 - 1%	Aquatic Acute 1: H400; Aquatic Chronic 1: H410;
2-Methyl-4-oxo-3- (penta-2,4-dienyl)cyclopent-2-enyl [1R-[1a[S*(Z)],3b]]-chrysanthemate	613-023-00-1	121-21-1	204-455-8		0.5 - 1%	Acute Tox. 4: H332; Acute Tox. 4: H312; Acute Tox. 4: H302; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;

### Further information

The exact percentage (concentration) of composition has been withheld as a trade secret.

### SECTION 4: First aid measures

### 4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air. If breathing stops, provide artificial respiration. If breathing is difficult give oxygen.				
Eye contact	Rinse immediately with plenty of water. Contact lenses should be removed.				
Skin contact	Wash with soap and water.				
Ingestion	If swallowed, seek medical advice immediately and show this container or label.				

#### 4.2. Most important symptoms and effects, both acute and delayed

Revision 1
Revision date 2018-10-08


4.2 Most important symptoms a	nd effects, both acute and delayed						
Inhalation	Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system.						
Eye contact	May cause eye irritation.						
Skin contact Ingestion	May cause irritation to skin.  Ingestion may cause nausea and vomiting.						
SECTION 5: Firefighting mea	asures						
5.1. Extinguishing media							
	Use extinguishing media appropriate to the surrounding fire conditions.						
5.2. Special hazards arising from	5.2. Special hazards arising from the substance or mixture						
	Aerosol. Heat will increase pressure in sealed containers.						
5.3. Advice for firefighters							
	In case of fire and/or explosion do not breathe fumes. Wear suitable respiratory equipment when necessary.						
SECTION 6: Accidental relea	ase measures						
6.1. Personal precautions, prote	ctive equipment and emergency procedures						
	Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with eyes.						
6.2. Environmental precautions							
	Do not empty into drains; dispose of this material and its container in a safe way. Do not flush into surface water.						
6.3. Methods and material for co	entainment and cleaning up						
	Absorb spillage to prevent material damage. Clean with detergents. Avoid solvents.						
6.4. Reference to other sections	•						
	See section 2, 8, and 13 for further information.						
SECTION 7: Handling and st							
7.1. Precautions for safe handling							
	Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with eyes.						
7.2. Conditions for safe storage,	including any incompatibilities						
	Keep away from sources of ignition - No smoking. Contact with combustible material may cause fire. Heat will increase pressure in sealed containers. Avoid contamination of food or feedstuffs.						
7.3. Specific end use(s)							
	See section 1.2 for further information.						
SECTION 8: Exposure contr	ols/personal protection						
8.1. Control parameters							
	Occupational exposure controls.						
8.2. Exposure controls							
<u> </u>							

Revision Revision date 2018-10-08

#### 8.2. Exposure controls

controls

protection



### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

equipment.

State	Aerosol					
Color	Yellow/Amber					
Odor	Characteristic					
Odour threshold	No data available					
рН	data available					
Melting point	No data available					
Freezing Point	No data available					
Boiling point	No data available					
Flash point	No data available					
Evaporation rate	No data available					
Flammability limits	No data available					
Vapor pressure	No data available					
Vapor density	No data available					
Relative density	0.86 (H2O = 1 @ 20 °C)					
Partition coefficient	No data available					
Autoignition temperature	No data available					
Viscosity	No data available					
Explosive properties	No data available					
Oxidising properties	No data available					
Solubility	Insoluble in water					

### SECTION 10: Stability and reactivity

### 10.1. Reactivity

	lo data available.						
10.2. Chemical stability							
Stable under normal conditions.							
10.3. Possibility of hazardous reactions							
Avoid contact with:. Combustible materials.							
10.4. Conditions to avoid							

Revision 1 Revision date 2018-10-08

10.4. Conditions to avoid	
	Avoid sparks, flames, heat and sources of ignition.
10.5. Incompatible materials	·
	No data available.
10.6. Hazardous decomposition	products
	Carbon oxides.
SECTION 11: Toxicological	information
11.1. Information on toxicologica	al effects
Acute toxicity	No Significant Hazard.
Skin corrosion/irritation	May cause irritation to skin.
Serious eye damage/irritation	May cause irritation to eyes.
Respiratory or skin sensitisation	May cause allergic reactions in susceptible people.
Carcinogenicity	Not found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs, Volumes 1-112.  Not listed in the National Toxicology Program (NTP) 13th Report on Carcinogens.  Not listed in the OSHA standard 1910.1003 Carcinogens.
Reproductive toxicity	No teratogenic effects reported.
STOT-single exposure	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Aspiration hazard	Potential for aspiration if swallowed.
Repeated or prolonged exposure	Avoid prolonged or repeated exposure.
SECTION 12: Ecological info	prmation
12.2. Persistence and degradab	ility
	No data available.
12.3. Bioaccumulative potential	
	T.,
	No data available.
Partition coefficient	

# Partition coefficient

SureKill® CT-511® No data available

### SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Dispose of contents/container to an approved waste disposal facility in accordance with local and national regulations. Do not burn or incinerate. Follow label instructions.

# SECTION 14: Transport information

#### Hazard pictograms





Revision 1 Revision date 2018-10-08

14.1. UN number					
	UN1950				
14.2. UN proper shipping name					
	AEROSOLS				
14.3. Transport hazard class(es)					
DOT	2				
Subsidiary risk	see SP63				
IMDG	2				
Subsidiary risk	see SP63				
IATA	2				
Subsidiary risk	see SP63				
14.4. Packing group					
Packing group	-				
14.5. Environmental hazards					
Environmental hazards	No				
Marine pollutant	No				
DOT					
Hazard ID	-				
Tunnel Category	(D)				
IMDG					
EmS Code	F-D S-U				

# SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations	Hazard Communication Standard: 29 Code of Federal Regulations 1910.1200: Occupational
	Safety and Health Standards: Z: Toxic and Hazardous Substances: Hazard Communication.
	All chemicals in this product are TSCA listed or excluded from listing, on the United States
	Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory. TSCA - United
	States Toxic Substances Control Act Section 8(b) Inventory.
	US State Regulations:
	New Jersey Right-to-Know Hazardous Substance List:
	Pyrethrins, Piperonyl butoxide
	Pennsylvania Right-to-Know Hazardous Substance List:
	Pyrethrins, Piperonyl butoxide.
	· · · · · · · · · · · · · · · · · · ·
	Rhode Island Right-to-Know Hazardous Substance List:Pyrethrins, Piperonyl butoxide.
	1 Tallode Island Tagnit to Tallow Hazardode Cabstande List. Frething, Tiperonyi batoxide.

### Inventories

Ingredient	TSCA	MA	SARA313	CALPROP65	CWA307	CAA112	CWA311	SARA302	SARA304
2-Methyl-4-oxo-3-	N	N	N	N	N	N	Υ	N	Ν
(penta-2,4-dienyl)cyclopent-2-enyl [1R-									
[1a[S*(Z)],3b]]-chrysanthemate									

#### **Further information**

Revision 1
Revision date 2018-10-08

Further information	
FIFRA	This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.
FIFRA Signal Word	CAUTION.
FIFRA Warning	Hazards to humans and domestic animals. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

#### SECTION 16: Other information

#### Other information

DISCLAIMER: The information and recommendations set forth herein ("Information") are presented in good faith and believed to be correct as of the date issued. No representation is made regarding the completeness or accuracy of the Information. Further, because of the many factors that affect the use of this product, the Information is supplied upon the condition that the person(s) receiving it will make their own determination regarding its suitability for their own unique purpose(s), prior to use.

Except as expressly stated herein, NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, COURSE OF PERFORMANCE, USAGE OF TRADE, OR RESULTS TO BE OBTAINED BY USE OF THIS PRODUCT are made with respect to this product or use of this product. The product covered is furnished "as is" and only subject to the warranties herein provided, no liability is assumed resulting from the use of this product.

#### Revision

This document differs from the previous version in the following areas:.

- 1 Product Use.
- 2 2.1. Classification of the substance or mixture.
- 2 Hazard pictograms.
- 9 9.1. Information on basic physical and chemical properties (Relative density).
- 9 9.1. Information on basic physical and chemical properties (Fat Solubility).
- 9 9.2. Other information (Conductivity).
- 9 9.2. Other information (Gas group).
- 9 9.2. Other information (Surface tension).
- 10 10.5. Incompatible materials.
- 12 12.1. Toxicity.
- 14 DOT.
- 15 Hazard Statements.
- 15 Regulations.
- 15 FIFRA Warning.

# Text of Hazard Statements in Section 3

Skin Sens. 1: H317 - May cause an allergic skin reaction.

Eye Irrit. 2B: H320 - Causes eye irritation.

Acute Tox. 4: H332 - Harmful if inhaled.

Aguatic Acute 2: H401 - Toxic to aguatic life.

Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.

Liquified gas: H280 - Contains gas under pressure; may explode if heated.

Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.

STOT SE 3: H336 - May cause drowsiness or dizziness.

Aquatic Acute 1: H400 - Very toxic to aquatic life.

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.

Acute Tox. 4: H302 - Harmful if swallowed.

Revision 1
Revision date 2018-10-08

Other information

Acute Tox. 4: H312 - Harmful in contact with skin.