

SAFETY DATA SHEET

according to 29 CFR 1910.1200 and GHS

Page 1/11

SureKill® Hand Sanitizer

Revision 1
Revision date 2020-07-23

	Revision date 2020-07-23		
SECTION 1: Identification of the substance/mixture and of the company/undertaking			
1.1. Product identifier			
Product name	SureKill® Hand Sanitizer		
Product code	490909/SK, 8078		
1.2. Relevant identified uses of t	the substance or mixture and uses advised against		
Product Use	[SU3] Industrial uses: Uses of substances as such or in preparations at industrial sites; [PC35] Washing and cleaning products (including solvent based products);		
Description	Hand sanitizer.		
1.3. Details of the supplier of the	e safety data sheet		
Company	Neogen Corporation		
Address	620 Lesher Place Lansing MI 48912 USA		
Web	www.neogen.com		
Telephone	517-372-9200/800-234-5333		
Email	SDS@neogen.com		
1.4. Emergency telephone numb	per		
	24 hours: Medical: 1-800-498-5743 (U.S. and Canada) or 1-651-523-0318 (international) Spill/CHEMTREC: 1-800-424-9300 (U.S. and Canada) or 1-703-527-3887 (international)		
Further information			
	Manufactured By:. Neogen Corporation 717 E. Shiawassee St. Lansing, MI 48912.		
	Preserve International 944 Nandino Blvd. Lexington, KY 40511-1205 U.S.A. Preserve International is a wholly-owned subsidiary of Neogen Corporation.		
SECTION 2: Hazards identification			

2.1.2. Classification - GHS

2.2. Label elements

2.1. Classification of the substance or mixture

Flam. Liq. 2: H225; Acute Tox. 4: H302; STOT SE 3: H336;

Revision 1 Revision date 2020-07-23

2.2. Label elements

Hazard pictograms	
Signal Word	Danger
Hazard Statement	Flam. Liq. 2: H225 - Highly flammable liquid and vapour. Acute Tox. 4: H302 - Harmful if swallowed. STOT SE 3: H336 - May cause drowsiness or dizziness.
Precautionary Statement: Prevention	P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P270 - Do not eat, drink or smoke when using this product.
Precautionary Statement: Response	P301+P312 - IF SWALLOWED: Call a POISON CENTER/doctor/ /if you feel unwell. P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P330 - Rinse mouth. P370+P378 - In case of fire: Use alcohol resistant foam, Dry chemical, Carbon dioxide (CO2), media appropriate to the surrounding conditions to extinguish.
Precautionary Statement: Storage	P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
Precautionary Statement: Disposal	P501 - Dispose of contents/container to an approved waste disposal facility in accordance with local and national regulations.
2.3. Other hazards	
Other hazards	Contains material(s) which may be harmful if inhaled.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Isopropanol (2-Propanol)	603-117-00-0	67-63-0	200-661-7		1 - 10%	Flam. Liq. 2: H225; Eye Irrit.
						2: H319; STOT SE 3: H336;
Ethanol	603-002-00-5	64-17-5	200-578-6		60 - 70%	Flam. Liq. 2: H225;

Description

|--|

Further information

Full text of Hazard Statements listed in this Section is provided in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air. If breathing is difficult give oxygen. If breathing stops, provide artificial respiration. Seek medical attention if irritation or symptoms persist.
Eye contact	Rinse immediately with plenty of water. Contact lenses should be removed. Seek medical attention if irritation or symptoms persist.

Revision 1 Revision date 2020-07-23

	Revision date 2020-07-23		
4.1. Description of first aid meas	- Bures		
Skin contact	Remove contaminated clothing. Avoid prolonged or repeated exposure. Repeated exposure may cause skin dryness or cracking. Seek medical attention if irritation or symptoms persist.		
Ingestion	Rinse mouth thoroughly. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.		
4.2. Most important symptoms a	and effects, both acute and delayed		
Inhalation	Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system.		
Eye contact	May cause irritation to eyes.		
Skin contact	May cause irritation to skin.		
Ingestion	Harmful if swallowed. Ingestion may cause nausea and vomiting.		
4.3. Indication of any immediate	medical attention and special treatment needed		
	Remove the affected person from the source of contamination immediately. Transfer to hospital if there are burns or symptoms of poisoning. IF exposed or concerned: Get medical advice/attention. If medical advice is needed, have product container or label at hand.		
SECTION 5: Firefighting me	asures		
5.1. Extinguishing media			
, , , , , , , , , , , , , , , , , , ,	In case of fire, use carbon dioxide (CO2), Alcohol resistant foam, Dry chemical, Foam. Use extinguishing media appropriate to the surrounding fire conditions.		
5.2. Special hazards arising from the substance or mixture			
	In case of fire and/or explosion do not breathe fumes. Vapor may travel considerable distance to source of ignition and flash back. Heat will increase pressure in sealed containers.		
5.3. Advice for firefighters			
	Flammable liquid and vapour. In case of fire and/or explosion do not breathe fumes. Wear self contained breathing apparatus and protective clothing.		
SECTION 6: Accidental rele	ase measures		
6.1. Personal precautions, prote	ective equipment and emergency procedures		
	Flammable liquid. Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid sparks, flames, heat and sources of ignition. Ensure adequate ventilation of the working area. Use as appropriate: Protective equipment. Avoid prolonged or repeated exposure.		
6.2. Environmental precautions			
	Prevent further spillage if safe. Clean spillage area thoroughly with plenty of water. Do not flush into surface water. Do not let product contaminate subsoil.		
6.3. Methods and material for co	ontainment and cleaning up		
	Flammable liquid. Absorb with inert, absorbent material. Collect spillage. Transfer to suitable, labelled containers for disposal. Dispose of this material and its container to hazardous or special waste collection point. Do not contaminate water by cleaning of equipment or disposal of wastes. Clean with detergents. Avoid solvents.		
6.4. Reference to other sections			
	See section 2, 8 & 13 for further information.		
SECTION 7: Handling and s	torage		
7.1. Precautions for safe handling			

Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact

Revision 1
Revision date 2020-07-23

7.1. Precautions for safe handling	g
	with eyes. Do not eat, drink or smoke in areas where this product is used or stored. Ensure adequate ventilation of the working area. Do not contaminate water by cleaning of equipment or disposal of wastes. Use as appropriate: Protective clothing. Read the entire label and follow all use directions, restrictions, and precautions.
7.2. Conditions for safe storage,	including any incompatibilities
	Flammable liquid and vapour. Contact with combustible material may cause fire. Store in correctly labelled containers. Keep container tightly closed. Do not contaminate water, food, or feed by storage or disposal. Follow label instructions.
7.3. Specific end use(s)	
	See Section 1.2 for further information.
Further information	
	Refer to product label and/or package insert for additional information. Follow label instructions.
SECTION 8: Exposure contr	ols/personal protection
8.1. Control parameters	

Exposure Limit Values

Ethanol	ACGIH TLV TWA: 1000 ppm	ACGIH TLV STEL: -
	Notations: A4	OSHA PEL 8hr TWA ppm: 1000
	OSHA PEL 8hr TWA mg m3: 1900	Skin Designation: -
	NIOSH REL 10hr TWA ppm:	NIOSH REL 10hr TWA mg m3:
	NIOSH REL 15 min ST ppm:	NIOSH REL 15 min ST mg m3:
Glycerin (Glycerin mist)	ACGIH TLV TWA: 10 mg/m ³	ACGIH TLV STEL: -
	Notations: -	OSHA PEL 8hr TWA ppm: -
	OSHA PEL 8hr TWA mg m3: 15	Skin Designation: -
	NIOSH REL 10hr TWA ppm:	NIOSH REL 10hr TWA mg m3:
	NIOSH REL 15 min ST ppm:	NIOSH REL 15 min ST mg m3:
Isopropanol (2-Propanol)	ACGIH TLV TWA: 200 ppm	ACGIH TLV STEL: 400 ppm
	Notations: A4	OSHA PEL 8hr TWA ppm: 400
	OSHA PEL 8hr TWA mg m3: 980	Skin Designation: -
	NIOSH REL 10hr TWA ppm:	NIOSH REL 10hr TWA mg m3:
	NIOSH REL 15 min ST ppm:	NIOSH REL 15 min ST mg m3:

8.2. Exposure controls

Appropriate engineering controls	Ensure adequate ventilation of the working area.
Individual protection measures	Use as appropriate: Protective equipment.
Eye / face protection	Use as appropriate: Suitable eye protection.
Skin protection - Hand protection	Use as appropriate: Chemical-resistant gloves made of any waterproof material.
Skin protection - Other	Use as appropriate: Protective clothing.
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.
Occupational exposure controls	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep away from food, drink and animal feed and/ or feed products. Provide chemical shower. Provide eye wash station.

Revision 1
Revision date 2020-07-23

Further information

Refer to product label and/or package insert for additional information.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State Liquid
Color Clear/Colorless
Odor Alcoholic
Odor threshold No data available
pH 6.5 - 8.5

Melting point No data available

Freezing Point No data available

Boiling point 78 °C Flash point 17 °C

Flammability limits
Vapor pressure

No data available
Not applicable.
No data available

Vapor density No data available

Relative density 0.8 - 1

Partition coefficient No data available

Autoignition temperature No data available

Viscosity No data available
Explosive properties No data available
Oxidizing properties No data available

Solubility Soluble in water

9.2. Other information

Gas group Not applicable.

VOC (Volatile organic ≈ 65.9 %

compounds)

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

Contact with combustible material may cause fire. Keep away from oxidizing agents.

10.6. Hazardous decomposition products

Carbon oxides.

Revision 1
Revision date 2020-07-23

	Revision date 2020-07-23			
SECTION 11: Toxicological information				
11.1. Information on toxicological effects				
Acute toxicity	Harmful if swallowed. See section 3 for further information.			
Skin corrosion/irritation	May cause irritation to skin.			
Serious eye damage/irritation	May cause irritation to eyes.			
Respiratory or skin sensitization	May cause allergic reactions in susceptible people.			
Germ cell mutagenicity	No mutagenic effects reported.			
Carcinogenicity	No components at >0.01% are listed in the American Conference of Governmental Industrial Hygienists (ACGIH) Guide to Occupational Exposure Values. Listed by the International Agency for Research on Cancer (IARC) as a group 3 substance: evidence does not support the substance as a human carcinogen, [Isopropanol (2-Propanol), CAS No. 67-63-0]. No components at >0.01% are listed in the National Toxicology Program (NTP) Report on Carcinogens. Not listed in the OSHA standard 1910.1003 Carcinogens.			
Reproductive toxicity	No teratogenic effects reported.			
STOT-single exposure	May cause dizziness and headache. May cause allergy or asthma symptoms or breathing difficulties if inhaled.			
STOT-repeated exposure	Components(s) may cause damage to human organs based on animal data.			
Aspiration hazard	No Significant Hazard.			
Repeated or prolonged exposure	Avoid prolonged or repeated exposure. Repeated exposure may cause skin dryness or cracking. Exposure above the recommended occupational exposure limit (OEL) may cause adverse health effects. Delayed appearance of the complaints and development of hypersensitivity (difficult breathing, coughing, asthma) are possible.			
11.1.2. Mixtures				
	See Section(s) 3 for further information.			
11.1.3. Hazard Information				
	See Section(s) 2 and 3 for further information.			
11.1.4. Toxicological information	1			
	No data available			
11.1.5. Hazard Class				
	See Section(s) 2 and 14 for further information.			
11.1.6. Classification Criteria				
	Based on the Globally Harmonized System (GHS) considerations for the classification of mixtures. See Section 15 for regulatory citations.			
11.1.7. Information on likely routes of exposure				
	Eye contact. Skin contact. Inhalation. Ingestion.			
11.1.8. Symptoms related to the	physical, chemical and toxicological characteristics			
	See Section(s) 4.2 for further information.			
11.1.9. Delayed and immediate	effects as well as chronic effects from short and long-term exposure			
	See Section(s) 4.2 for further information.			
11.1.10. Interactive effects				
	No data available.			
	•			

Revision 1 Revision date 2020-07-23

	Revision date 2020-07-2
11.1.11. Absence of specific da	ıta
	<1% of this mixture consists of ingredients of unknown acute toxicity.
11.1.12. Mixture versus substa	nce information
	See Section(s) 3 for further information.
11.1.13. Other information	
	No data available.
SECTION 12: Ecological inf	ormation
12.1. Toxicity	
	No data available
12.2. Persistence and degrada	bility
	No data is available on this product.
12.3. Bioaccumulative potentia	
	No data is available on this product.
Partition coefficient	
	SureKill® Hand Sanitizer No data available Ethanol -0.349 log P
12.4. Mobility in soil	
	No data is available on this product.
12.5. Results of PBT and vPvB	assessment
	No data is available on this product.
12.6. Other adverse effects	
	Specific test data for the substance or mixture is not available.
SECTION 13: Disposal con	siderations
13.1. Waste treatment methods	
	Dispose of as special waste in compliance with local and national regulations.
Disposal methods	
	Do not contaminate water by cleaning of equipment or disposal of wastes. Do not flush into surface water. Dispose of in compliance with all local and national regulations.
Disposal of packaging	
	Nonrefillable container. Do not reuse or refill this container. If empty: Do not reuse this container. Place in trash or offer for recycling, if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.
SECTION 14: Transport info	ormation
Hazard pictograms	

Revision 1
Revision date 2020-07-23

Hazard pictograms			
14.1. UN number	·		
	UN1170		
14.2. UN proper shipping name	·		
	ETHANOL SOLUTION		
14.3. Transport hazard class(es)		
DOT	3		
Subsidiary risk] -		
IMDG	3		
Subsidiary risk	-		
IATA	3		
Subsidiary risk	<u> </u> -		
14.4. Packing group			
Packing group			
14.5. Environmental hazards			
Environmental hazards	No		
Marine pollutant	No		
DOT			
Hazard ID	33		
Tunnel Category	(D/E)		
IMDG			
EmS Code	F-E S-D		
IATA			
Packing Instruction (Cargo)	364		
Maximum quantity	60 L		
Packing Instruction	353		
(Passenger) Maximum quantity	 5 L		
Maximum quantity	"		

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations	Hazard Communication Standard: 29 Code of Federal Regulations 1910.1200: Occupational Safety and Health Standards: Z: Toxic and Hazardous Substances: Hazard Communication.
Chemical	International
Inventories/Right-to-Know	Basel Convention (Hazardous Waste): H3.
Lists:	Chemical Weapons Convention (OPCW): This product does not contain reportable substances at
	>0.0001% concentration.
	Kyoto Protocol Greenhouse Gases: This product does not contain reportable substances at
	>0.0001% concentration.

Revision 1
Revision date 2020-07-23

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Mercosur Agreement: Not applicable.

Montreal Protocol: This product does not contain reportable substances at >0.0001% concentration

The Rotterdam Convention: This product does not contain reportable substances at >0.0001% concentration.

The Stockholm Convention: This product does not contain reportable substances at >0.0001% concentration.

--Asia and the ASEAN Nations--.

Catalog of Hazardous Chemicals (China): [2568, Ethanol (ethyl alcohol), CAS No. 64-17-5], [111, Isopropanol (2-Propanol), CAS No. 67-63-0].

Regulation of Minister of Trade of the Republic of Indonesia, Number 75, Year 2014, regarding The Second Amendment of Minister of Trade, Number 44, Year 2009, Regarding Provision,

Distribution, and Control of Hazardous Substances: Usable hazardous and toxic material, [Ethanol (ethyl alcohol), CAS No. 64-17-5].

Air Pollution Control Law (Japan): This product does not contain reportable substances at >0.0001% concentration.

Chemical Substances Control Law (Japan): Priority Assessment, (human health), [102, Isopropanol (2-Propanol), CAS No. 67-63-0].

Industrial Safety and Health Act, Dangerous Substances (Japan): Labeling/Notification required, Dangerous substance, Flammable, Second-class organic solvents, etc., [Ethanol (ethyl alcohol), CAS No. 64-17-5], [Isopropanol (2-Propanol), CAS No. 67-63-0]. Administrative controls, reg. no. [300, Isopropanol (2-Propanol), CAS No. 67-63-0].

Poisonous and Deleterious Substances Act (Japan): This product does not contain reportable substances at >0.0001% concentration.

Soil Contamination Countermeasures Act (Japan): This product does not contain reportable substances at >0.0001% concentration.

Water Pollution Control Law (Japan): This product does not contain reportable substances at >0.0001% concentration.

Chemical Substances Subject to Permission (Korea): This product does not contain reportable substances at >0.0001% concentration.

Restricted or Prohibited Substances (Korea): This product does not contain reportable substances at >0.0001% concentration.

Use and Standards of Exposure of Chemicals Hazardous to Health (USECHH), Regulation 2000 (Malaysia): Schedule I exposure standard, CLASS regulation, [Ethanol (ethyl alcohol), CAS No. 64-17-5], [Isopropanol (2-Propanol), CAS No. 67-63-0].

Philippine Inventory of Chemicals and Chemical Substances (PICCS): All ingredients listed or exempt.

Taiwan Toxic and Concerned Chemical Substances Control Act (TCCSCA): This product does not contain reportable substances at >0.0001% concentration.

Hazardous Substances Act (Thailand): This product does not contain reportable substances at >0.0001% concentration.

Law on Chemicals (Vietnam): Decree 113/2017/ND-CP: List of chemicals subject to compulsory declaration, Decree 113/2017/ND-CP: List of chemicals subject to conditional industrial production and trading, [Ethanol (ethyl alcohol), CAS No. 64-17-5].

--Australia and New Zealand--.

Australian Dangerous Goods Code: Class 3.

Australian Inventory of Chemical Substances (AICS): All ingredients listed or exempt. New Zealand Inventory of Chemicals (NZIoC): All ingredients listed or exempt.

--European Union (EU) and the United Kingdom (UK)--.

Annex XVII for REACH: This product does not contain reportable substances at >0.0001%

Revision 1
Revision date 2020-07-23

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

concentration.

Article 95 of the Biocidal Products Regulation (BPR): Not applicable.

Authorization List (Annex XIV of REACH): This product does not contain reportable substances at >0.0001% concentration.

--North America --.

Domestic/Non-Domestic Substances Lists (DSL/NDSL): All ingredients listed or exempt.

Toxic Substances Control Act (TSCA): All ingredients listed or exempt. Massachusetts Right-to-Know Hazardous Substance List: Isopropanol.

New Jersey Worker and Community Right to Know Act: Ethyl alcohol, Isopropyl alcohol.

Pennsylvania Right to Know Law: Ethanol, 2-Propanol.

Rhode Island Right-to-Know General Law: Ethyl alcohol, Isopropyl alcohol.

California Prop 65: This material contains no reportable components.

Inventories

Ingredient	TSCA	MA	SARA313	CALPROP65	CWA307	CAA112	CWA311	SARA302	SARA304
Isopropanol (2-Propanol)	Y	N	Y 1.0	N	N	N	N	N	N
Ethanol	Υ	Υ	N	N	N	N	N	N	N
Glycerin (1,2,3-Propanetriol)	Υ	N	N	N	N	N	N	N	N

SECTION 16: Other information

Other information

Aoronym		
Acronym	5	

ACGIH: American Conference of Governmental Industrial Hygienists.

ADR/RID: European Agreements Concerning the International Carriage of Dangerous Goods by

Rail (RID) and by Road (ADR).

CAS No.: Chemical Abstracts Service.

CLASS: Classification, Labeling, and Safety Data Sheet of Hazardous Chemicals Regulation 2013

(Malaysia).

FIFRA: U.S. Federal Insecticide, Fungicide, and Rodenticide Act.

GHS: Globally Harmonized System.

HCS 2012: Hazard Communication Standard (2012 revision).

IATA: International Air Transport Association. ICAO: International Civil Aviation Organization.

IMDG: International Maritime Dangerous Goods.

LC: Lethal concentration.

LD: Lethal dose.

OEL: Occupational exposure limit.

OSHA: U.S. Occupational Safety and Health Administration.

PEL: Permissible Exposure Limit.

REACH: Registration, Evaluation, Authorization, and Restriction of Chemicals.

SVHC: Substance of very high concern.

UN: United Nations.

US DOT: United States Department of Transportation.

VOC: Volatile Organic Compound. WEL: Workplace Exposure Limit.

Text of Hazard Statements in Section 3

Flam. Liq. 2: H225 - Highly flammable liquid and vapour.

Eye Irrit. 2: H319 - Causes serious eye irritation.

STOT SE 3: H336 - May cause drowsiness or dizziness.

Maximum content of VOC

65.9 %.

Revision 1
Revision date 2020-07-23

Further information

DISCLAIMER: The information and recommendations set forth herein ("Information") are presented in good faith and believed to be correct as of the date issued. No representation is made regarding the completeness or accuracy of the Information. Further, because of the many factors that affect the use of this product, the Information is supplied upon the condition that the person(s) receiving it will make their own determination regarding its suitability for their own unique purpose(s), prior to use.

Except as expressly stated herein, NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, COURSE OF PERFORMANCE, USAGE OF TRADE, OR RESULTS TO BE OBTAINED BY USE OF THIS PRODUCT are made with respect to this product or use of this product. The product covered is furnished "as is" and only subject to the warranties herein provided, no liability is assumed resulting from the use of this product.