FEATURES, CLAIMS, AND USES

This product is an effective Virucide, Bactericide, Tuberculocide, and pressure. Keep away from heat, sparks, pilot lights, and flames. Do This product has demonstrated effectiveness on precleaned hard 130°F (54°C) may cause bursting. nonporous surfaces against the following microorganisms:

retrovirus that causes "AIDS"). Heroes Simplex Virus Type 1 and Heroes inconsistent with its labeling. Simplex Virus Type 2, Influenza A2/Hong Kong Virus, Adenovirus Type This product is not to be used as a terminal sterilant/high level 5. Vaccinia Virus, Infectious Canine Heoatitis Virus, Canine Distemper disinfectant on any surface or instrument that (1) is introduced directly Virus, Feline Pneumonitis Virus, and Avian Influenza A Virus (H5N1). into the human body, either into or in contact with the bloodstream Follow instructions for disinfection.

BACTERICIDAL - Kills: Escherichia coli: Pseudomonas aeruginosa: membranes but which does not ordinarily penetrate the blood barrier Salmonella enterica: Salmonella schottmuelleri (paratyohoid Bl; or otherwise enternormally sterile areas of the body. This product may Shigella dysenteriae; Streptococcus pyogenes; Staphylococcus be used to preclean or deconfaminate critical or semi-critical medical aureus: and Methicillin-resistant Staphylococcus aureus (MRSA). TUBERCULOCIDAL - Kills Mycobacterium tuberculosis bovis BCG GENERAL: Shake container well before each use and hold it upright (Tubercle bacilli). Follow instructions for disinfection.

FUNGICIDAL - Kills Trichophyton mentagrophytes ("athlete's foot" not for use on humans or animals. Not for use where food or related fung; formerly known as T. interdigitale) in balthrooms, shower areas, products are prepared, processed or stored. Remove food or related and locker rooms. Follow instructions for disinfection.

Asperallus niger and Penicillium glaucum fungi on fabric. SANITIZES - Controls Staphylococcus aureus and Klebsiella water-based "latex" paint, shellac, cellulose (such as rayon) or other

pneumoniae on porous fabric and leather surfaces, such as on shoes. alcohol-sensitive materials. athletic mats, athletic shoes and other athletic equipment,

unnleasant orlors from many sources

FOR USE IN: Industrial, Institutional, Commercial, Medical, and remainwet for 10 minutes. Allow to air dry, Rinse all surfaces that come and air conditioners. Seal doors and windows. ambulances; nursing homes; medical and dental offices and clinics; water. Do not use on utensils, glassware, and dishes. and motels; restaurants and cafeterias; food storage, processing, products and packaging materials must be removed or carefully packaging, handling, and serving establishments and equipment: protected before disinfection.

polyamide, polycarbonate, polyester, polyethylene, polyolefin, stand for 10 minutes, then flush. polypropylene, polystyrene, polytetrafluorethylene, polyurethane, and To disinfect Veterinary offices, animal areas, and animal allow to air for five hours, sealed concrete, and similar nonporous surfaces.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

clothing and wash clothing.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a Poison Control Center or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.

HOT LINE NUMBER: In case of an emergency call toll free 1-800-222-1222. Have the product container or label with you when calling a poison control center or doctor or going for treatment. Probable mucosal damage may contraindicate the use of gastric lavage.

DIRECTIONS FOR USE

or normally sterile areas of the body, or (2) contacts intact mucous devices prior to sterilization or high level disinfection.

while spraying. For use on precleaned, hard nonporous surfaces; products from the area being treated. Avoid use where product CONTROLS MOLD/MILDEW - Completely inhibits the growth of would contact counters or tabletops where food may be stored. prepared or processed. Do not use on waxed/polished surfaces.

DEODORIZES - Pleasant fragrance guickly suppresses existing directed above. Hold container upright about 6-8" from surface. Spray Residential facilities, equipment, and vehicles, including hospitals; in contact with food such as counters, appliances, tables with potable

vinyl), rubber, metal, sealed leather, finished wood, sealed grout, and laboratories: Remove all animals and feed from premises, vehicles, cages, kennels, etc. Remove all litter, droppings, and manure from floors, walls, and surfaces of facilities occupied or traversed by animals. Empty all feeding and water appliances. Thoroughly clean all surfaces WARNING: Causes substantial but temporary eye injury. Harmful with scap or delergent and rinse with water. Hold container upright if absorbed through skin. Do not get in eyes or on skin or clothing. about 6-8" from surface. Soray to thoroughly wet hard, nonporous Wear long-sleeved shirt and long pants, protective evewear surfaces, Treated surfaces must remain wet for 10 minutes, Allow (safety glasses), shoes and socks, and chemical resistant gloves to air dry. Immerse all halters, collars, leashes and other types of isuch as or made out of any water proof material). Wash hands equipment used in handling and restraining animals as well as forks. or 1-800-CLEANUP for disposal instructions. thoroughly with soap and water before eating, drinking, chewing shovels, and scrapers used for removing litter and manure. Ventilate gum, using tobacco or using the toilet. Remove contaminated buildings, vehicles, and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, set or dried. HMIS Ratinos: Health - 1, Flammability - 3, Reactivity - 1, Personal Thoroughly scrub feeding and watering equipment with soap or Protection - A

detergent, and rinse with potable water before reuse. To Clean/Deodorize: Hold container uprioht about 6-8" from surface. Spray surface and allow to air dry.

To Control Mold/Mildew and Sanitize Porous Surfaces: Inhibits the growth of Aspergillus niger and Penicillium glaucum fungi and controls Staphylococcus aureus and Klebsiella pneumoniae on porous surfaces such as fabric and leather surfaces. Hold container upright about 6-8" from surface. Spray to thoroughly wet surfaces. Treated surfaces must remain wet for 5 minutes. Allow surfaces to air dry. For mold/mildew control, repeat application every 7 days or more frequently if new growth appears.

PHYSICAL/CHEMICAL HAZARDS: Flammable. Contents under TO KILL HIV-1 (Human Immunodeficiency virus Type 1; AIDS virus) ON PRECLEANED SURFACES/OBJECTS in health care or other settings with Funcicide on hard nonporous surfaces when used as a disinfectant. not puncture or incinerate container. Exposure to temperatures above in animate environmental surfaces objects associated with the potential for transmission of HIV-1 and likely to be soiled with blood/body fluids. follow these additional SPECIAL INSTRUCTIONS FOR CLEANING AND VIRUCIDAL* - Kills Human Immunodeficiency Virus Twoe 1 (HIV-1:a It is a violation of Federal law to use this product in a manner DECONTAMINATING AGAINST HIV-1 ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS: PERSONAL PROTECTION - Barrier protection items such as disposable latex gloves, gowns, masks, and eye coverings must be worn when handling items soiled with blood/body fluids, CLEANING PROCEDURE - Blood/body/fluids must be thoroughly cleaned from surfaces/ objects before application of this product as a disinfectant. CONTACT TIME - 10 minutes. DISPOSAL OF INFECTIOUS MATERIALS - Blood/body fluids and other materials removed from or used to clean surfaces/objects must be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal.

DIRECTIONS FOR FOGGING ROOMS GREATER THAN 5 FT x 5 FT All surfaces must be cleaned and disinfected in accordance with label directions prior to fooging. Fooging is an adjunct or supplement to normal cleaning and disinfection procedures and practices.

Do not use more than one fogger per room. Do not use in small, enclosed spaces such as closets, cabinets or under counters or tables. Do not use in a room 5 ft. x 5 ft. or smaller. Turn off ALL ignition sources such as pilot lights (shut off gas valves), or open flames or running electrical appliances that cycle off and on (i.e. refrigerators, thermostats, etc.), Call your gas To disinfect hard, non-porous surfaces: Preclean surfaces as utility or management company if you need assistance with your pilot lights. Remove exposed food, utensils, and dishes. Cover immobile food handling to thoroughly wet hard, nonporous surfaces. Treated surfaces must equipment. Open cabinets and doors to area to be treated. Shut off fans

Use one unit for each 6,000 cubic ft. of unobstructed area. Do not remain in the area during treatment. Ventilate thoroughly before re-entry. Do not use this unit veterinary offices and animal areas: schools: laboratories: hotels Before use in federally inspected meat and poultry plants, all food in acabinet grunder accounter or table. Do not use this in an area less than 100 cubic ft. Do not use more than one unit per average size room

Point valve opening away from face and eyes when releasing, TO OPERATE offices; stores; factories and manufacturing plants; and apartment To disinfect toilets and urinals; Remove gross fifth prior to VALVE Place several layers of newspaper or pad on stand or table in the disinfection. Empty toilet bowl or urinal. Hold container upright center of room. To lock fogger valve in open position for automatic discharge, FORUSE ON: Most class, clazed correlain, clazed ceramic, enameled. about 6-8" from surface. Soray to thoroughly wet hard, noncorous cress valve button all the way down hooking in catch. Then place fooder painted, plastic (such as ABS, acrylic, latex nubber, phenolic resin. surfaces, Brush over exposed surfaces and under the rim. Allow to on the stand or table. Leave from or huilding and keep mombuilding closed for two hours before airing out. Open all doors and windows and

STORAGE AND DISPOSAL

GENERAL: Do not contaminate other materials (including foods/drinks/ feeds/water) during transport, use, storage, and disposal. If damaged or leaking, soak up and wrap any waste, then dispose of as below. STORAGE & DISPOSAL: Keep in a cool, dry, locked area inaccessible to children and away from sources of heat and ignition (including flames, sparks, hot surfaces, and sunlight). Do not puncture or incinerate! If empty: Place in trash or offer for recycling if available. If partially filled: Call your local solid waste agency

WARNING: This product contains a chemical(s) known to the State of California to cause cancer.

Manufactured for: BIG D INDUSTRIES, INC. P.O. Box 82219 • Oklahoma City, OK 73148 1-800-654-4752 • www.bigdind.com • Made in USA





SANITIZES FABRIC AND LEATHER CONTROLS MOLD · MILDEW · FUNGI VIRUCIDAL* · TUBERCULOCIDAL · STAPHYLOCIDAL BACTERICIDAL · PSEUDOMONICIDAL · FUNGICIDAL (Specific species/agents listed on back panel)

Hospital-use and broad-spectrum disinfectant and antimicrobial agent. Kills HIV-1 (AIDS Virus) and Herpes Simplex Types 1 & 2 Viruses on precleaned environmental surfaces/objects previously soiled with blood/body fluids. For use on hard precleaned, nonporous, nonfood-contact surfaces in/on industrial, institutional, commercial, medical and residential facilities, equipment and vehicles.

ACTIVE INGREDIENTS:	
2-Phenylphenol	0.20%
4-tert-Amylphenol	0.05%
Ethanol	
INERT INGREDIENTS	
TOTAL	100.00%

EPA Reg. No. 44446-67-7052 EPA Est. No. 44446-TX-1

KEEP OUT OF REACH OF CHILDREN WARNING:

SEE ADDITIONAL PRECAUTIONARY AND FIRST AID STATEMENTS ON BACK PANEL.

NET WEIGHT: 6 OZ. (170 a)